

Logics for Context-free Hyperproperties

Sarah Winter and Martin Zimmermann

Abstract

We introduce a novel logic for the specification of context-free hyperproperties, which capture, e.g., the flow of information in security-critical recursive systems. Intuitively, the logic extends visibly pushdown automata by quantification over traces, just like HyperLTL, the most important logic for regular hyperproperties, extends LTL by quantification over traces. Using a game-based approach, we show that model-checking is decidable for formulas with a single quantifier alternation, provided the stack height of the visibly pushdown automaton only depends on the traces bound to the variables of the first quantifier block. A single quantifier alternation suffices to express many information-flow properties studied in the literature. Complementarily, we show that model-checking is undecidable for formulas with a single quantifier alternation, if the stack behavior of the visibly pushdown automaton may depend on the second quantifier block. This also implies that model-checking is undecidable for almost all fragments with more than one quantifier alternation.

1 Introduction

The specification and verification of security-critical systems involves reasoning about the flow of information, which requires simultaneous analysis of multiple execution traces of the system. Clarkson and Schneider [7] coined the term *hyperproperties* for such properties, which are formally sets of sets of traces. A system satisfies a hyperproperty if the system's set of traces is an element of the hyperproperty. This should be contrasted with classical trace properties, which are sets of traces. A system satisfies a trace property if the system's set of traces is a subset of the trace property.

Temporal logics are an attractive specification language both for trace and hyperproperties. Arguably the most important logic for trace properties is Linear Temporal Logic (LTL) [23] while the most important logic for hyperproperties is HyperLTL [6], which extends LTL with trace quantification. For example, the formula

$$\varphi_{\text{GNI}} = \forall \pi. \forall \pi'. \exists \pi''. \mathbf{G} \left(\bigwedge_{p \in L_{\text{in}} \cup L_{\text{out}}} p_{\pi} \leftrightarrow p_{\pi''} \right) \wedge \mathbf{G} \left(\bigwedge_{p \in H_{\text{in}}} p_{\pi'} \leftrightarrow p_{\pi''} \right)$$

expresses generalized noninterference [21]: for all pairs π and π' of traces there is a trace π'' that agrees with the low-security inputs (propositions in L_{in}) and low-security outputs (propositions in L_{out}) of π and the high security inputs (propositions in H_{in}) of π' . Intuitively, it is satisfied if every input-output behavior observable by a low-security user is compatible with any sequence of high-security inputs, i.e., the low security behavior does not leak information about the high-security inputs. Many information-flow properties from the literature, e.g., generalized noninterference, can be expressed with a single quantifier alternation [6].

Model-checking of finite-state systems against LTL and HyperLTL specifications is PSPACE-complete [26] and TOWER-complete [25, 20], respectively. However, finite-state systems are rather restrictive, as they, for example, cannot model the call-stack of a recursive program. Similarly, both LTL and HyperLTL are restricted to ω -regular properties. Hence, it is natural to investigate whether more general system models and/or more expressive specification languages retain a decidable model-checking problem.

Pushdown systems (pushdown automata (PDA) without an acceptance condition) and context-free languages play a central role in these extensions: Pushdown systems naturally model recursive systems with finite data (and induce in general infinite, but finitely represented, configuration graphs) while context-free languages generalize ω -regular languages with, e.g., abilities to reason about the evolution of the call stack of a program. Model-checking pushdown systems against LTL is EXPTIME-complete [4] while the undecidable universality problem for context-free languages can easily be reduced to model-checking finite-state systems against context-free specifications.

However, by considering fragments of context-free languages, decidability can be regained. Probably the most important fragment here are the visibly pushdown languages [1] (see also [22] for earlier work on input-driven pushdown automata), where the input letter being processed determines how the stack height of a pushdown automaton evolves. This allows to synchronize runs of different visibly pushdown automata (VPA) on the same word and yields, e.g., much better closure properties and better algorithmic properties. Model-checking visibly pushdown systems against visibly pushdown specifications is EXPTIME-complete [1].

After the introduction of HyperLTL, several generalizations have been considered:

- Pommellet and Touili showed that model-checking pushdown systems and visibly pushdown systems against HyperLTL specifications is undecidable, even for formulas with $\exists\exists$ quantifier prefix [24]. On the other hand, they present incomplete methods based on over- and under-approximations and show how these can be used to check security policies.
- Frenkel and Sheinvald introduced hypergrammars [12], which extend context-free grammars (over finite words) with trace quantification, just like HyperLTL extends LTL with trace quantification. Their membership problem can be seen as model-checking a regular language against a context-free hyperproperty. It can be solved in exponential time for formulas with \exists^* quantifier prefix, but is undecidable for \forall^* formulas.
- HyperCTL* extends the branching-time logic CTL* by trace quantification and contains HyperLTL. Model-checking finite-state systems against HyperCTL* is also TOWER-complete [6]. Bajwa et al. introduced stack-aware HyperCTL* [2], in which HyperCTL* formulas are only allowed to relate traces which have the same call-stack access pattern. Thus, all traces under consideration when evaluating a formula are synchronized. Model-checking finite-state systems against stack-aware HyperCTL* is also TOWER-complete [2].
- Gutsfeld et al. presented mumbling H_μ [15], a hyperlogic for asynchronous hyperproperties based on the linear-time μ -calculus and show that, under synchronization assumptions, model-checking of visibly pushdown systems against mumbling H_μ is decidable.

Our Contribution. Inspired by the work of Frenkel and Sheinvald, we introduce HyperPDA and HyperVPA, which extend ω -PDA and ω -VPA by quantification over (infinite) traces, which yields very natural logics for context-free hyperproperties. For example, the formula $\forall\pi_0. \exists\pi_1. \mathcal{A}$, where \mathcal{A} is an ω -PDA over $\Sigma \times \Sigma$ is satisfied by a system \mathfrak{T} if for every trace t_0 of \mathfrak{T} , there is a trace t_1 of \mathfrak{T} such that the pair (t_0, t_1) is in $L(\mathcal{A})$. In its full generality, model-checking finite-state systems against HyperPDA specifications is undecidable (even for formulas with a single universal quantifier), as one can easily capture universality of ω -PDA. On the positive side, the \exists^* fragment can be model-checked in exponential time.

These results highlight once again that general pushdown automata are too expressive in the context of model-checking hyperproperties. Thus, our main focus is on HyperVPA, in particular on formulas with one quantifier alternation. Recall that ω -VPA are controlled by the input. We prove that model-checking finite-state systems against HyperVPA formulas is decidable for formulas of the form $\forall^+\exists^*. \mathcal{A}$ and $\exists^+\forall^*. \mathcal{A}$ if the control only depends on the letters of the traces quantified in the first quantifier block, but is undecidable if the control only depends on the letters of the traces quantified in the second quantifier block. The latter result also implies that model-checking is undecidable for almost all quantifier fragments with more than one quantifier alternation. The only case we leave open is for formulas with more than one quantifier alternation when control depends on the first block. Thus, we exhibit an almost complete picture of the decidability border for visibly context-free hyperproperties.

Our decidability result is proven by extending the game-based characterization of $\forall^*\exists^*$ HyperLTL model-checking using prophecies [3] (see also [8, 27, 28]) to context-free specifications. In our setting, we employ prophecies recognized by ω -VPA and construct a visibly pushdown game, which can be solved effectively [19]. Both properties rely on the fact that the first quantifier block controls the behavior of \mathcal{A} .

All proofs omitted due to space restrictions can be found in the appendix.

2 Preliminaries

We denote the set of nonnegative integers by \mathbb{N} .

Traces and Transition Systems. An alphabet is a nonempty finite set. The sets of finite and infinite words over an alphabet Σ are denoted by Σ^* and Σ^ω , respectively. The length of a finite or infinite word w is denoted by $|w| \in \mathbb{N} \cup \{\infty\}$. For a word w of length at least n , we write $w[0, n)$ for the prefix of w of length n . Given k infinite words w_0, \dots, w_{k-1} , let their merge (also known as zip), which is an infinite word over Σ^k , be defined as

$$\text{mrg}(w_0, \dots, w_{k-1}) = \begin{pmatrix} w_0(0) \\ \vdots \\ w_{k-1}(0) \end{pmatrix} \begin{pmatrix} w_0(1) \\ \vdots \\ w_{k-1}(1) \end{pmatrix} \begin{pmatrix} w_0(2) \\ \vdots \\ w_{k-1}(2) \end{pmatrix} \cdots$$

We define $\text{mrg}(w_0, \dots, w_{k-1})$ for finite words w_0, \dots, w_{k-1} of the same length analogously.

A *transition system* $\mathfrak{T} = (V, E, V_I, \lambda)$ consists of a finite set V of vertices, a set $E \subseteq V \times V$ of (directed) edges, a nonempty set $V_I \subseteq V$ of initial vertices, and a labelling $\lambda: V \rightarrow \Sigma$ of the vertices by labels from some alphabet Σ . We assume that every vertex has at least one outgoing edge. For $v \in V$, we denote by $\text{Succ}(v)$ the set of its successors. A *path* ρ in \mathfrak{T} is an infinite sequence $\rho = v_0 v_1 v_2 \cdots$ of vertices with $v_0 \in V_I$ and $v_{n+1} \in \text{Succ}(v_n)$ for every $n \geq 0$. Every path ρ induces its *trace*, the ω -word $\lambda(\rho) = \lambda(v_0)\lambda(v_1)\lambda(v_2)\cdots \in \Sigma^\omega$. The *language* of \mathfrak{T} is $L(\mathfrak{T}) = \{\lambda(\rho) \mid \rho \text{ is a path of } \mathfrak{T}\}$. For a nonempty $V' \subseteq V$, we write $\mathfrak{T}_{V'}$ to denote the transition system (V, E, V', λ) obtained from \mathfrak{T} by making V' the set of initial states, and use \mathfrak{T}_v as shorthand for $\mathfrak{T}_{\{v\}}$ for $v \in V$.

Pushdown Automata. An ω -*pushdown automaton* (ω -PDA for short) $\mathcal{A} = (Q, \Sigma, \Gamma, q_I, \Delta, F)$ consists of a finite set Q of states with the initial state $q_I \in Q$, an input alphabet Σ , a stack alphabet Γ , a transition relation Δ to be specified, and a set $F \subseteq Q$ of accepting states. For notational convenience, we define $\Sigma_\varepsilon = \Sigma \cup \{\varepsilon\}$ and $\Gamma_\perp = \Gamma \cup \{\perp\}$, where $\perp \notin \Gamma$ is a designated stack bottom symbol. Then, the transition relation Δ is a subset of $Q \times \Gamma_\perp \times \Sigma_\varepsilon \times Q \times \Gamma_\perp^{\leq 2}$ that we require to neither write nor delete the stack bottom symbol from the stack: If $(q, \perp, a, q', \gamma) \in \Delta$, then $\gamma \in \perp \cdot (\Gamma \cup \{\varepsilon\})$, and if $(q, X, a, q', \gamma) \in \Delta$ for $X \in \Gamma$, then $\gamma \in \Gamma^{\leq 2}$. Given a transition $\tau = (q, X, a, q', \gamma)$ let $\ell(\tau) = a \in \Sigma_\varepsilon$. We say that τ is an $\ell(\tau)$ -transition and that τ is a Σ -transition, if $\ell(\tau) \in \Sigma$. For a finite or infinite sequence ρ over Δ , $\ell(\rho)$ is defined by applying ℓ homomorphically to every transition.

A stack content is a finite word in $\perp\Gamma^*$ (i.e., the top of the stack is at the end) and a configuration $c = (q, \gamma)$ of \mathcal{A} consists of a state $q \in Q$ and a stack content γ . The stack height of c is $\text{sh}(c) = |\gamma| - 1$. The initial configuration is (q_I, \perp) .

A transition $\tau = (q, X, a, q', \gamma') \in \Delta$ is enabled in a configuration c if $c = (q, \gamma X)$ for some $\gamma \in \Gamma_\perp^*$. In this case, we write $(q, \gamma X) \xrightarrow{\tau} (q', \gamma \gamma')$. A run of \mathcal{A} is a finite or infinite sequence $r = c_0 \tau_0 c_1 \tau_1 c_2 \tau_2 \cdots$ of configurations and transitions with $c_n \xrightarrow{\tau_n} c_{n+1}$ for every n . A finite run is required to end with a configuration. A run is initial if it starts in the initial configuration. An infinite run $r = c_0 \tau_0 c_1 \tau_1 c_2 \tau_2 \cdots$ is a run of \mathcal{A} on $w \in \Sigma^\omega$, if $w = \ell(\tau_0 \tau_1 \tau_2 \cdots)$ (this implies that ρ contains infinitely many Σ -transitions). We say that r is accepting if there are infinitely n such that the state of c_n is in F , i.e., we consider Büchi acceptance. The language $L(\mathcal{A})$ recognized by an ω -PDA \mathcal{A} contains all $w \in \Sigma^\omega$ such that \mathcal{A} has an accepting run on w .

Visibly pushdown automata are defined with respect to a partition $(\Sigma_c, \Sigma_r, \Sigma_s)$ of the input alphabet into calls (letters in Σ_c), returns (letters in Σ_r), and skips (letters in Σ_s) and have to satisfy the following conditions:

- A letter $a \in \Sigma_c$ is only processed by transitions of the form (q, X, a, q', XY) with $X \in \Gamma_\perp$, i.e., some stack symbol Y is pushed onto the stack.
- A letter $a \in \Sigma_r$ is only processed by transitions of the form $(q, X, a, q', \varepsilon)$ with $X \neq \perp$ or the form (q, \perp, a, q', \perp) , i.e., the topmost stack symbol is removed, or if the stack is empty, it is left unchanged.
- A letter $a \in \Sigma_s$ is only processed by transitions of the form (q, X, a, q', X) with $X \in \Gamma_\perp$, i.e., the stack is left unchanged.
- There are no ε -transitions.

Note that we allow, w.l.o.g., the automata to access the top stack symbol during calls and skips (see [1, Section 2.1]). An ω -PDA is a *visibly* ω -PDA (ω -VPA for short), if there is a partition of its input alphabet into $(\Sigma_c, \Sigma_r, \Sigma_s)$ satisfying the conditions above.

3 Logics for Context-Free Hyperproperties

In this section, we introduce our logics and present some preliminary results.

HyperPDA. Let $\mathcal{V} = \{\pi_0, \pi_1, \pi_2, \dots\}$ be *the* set of trace variables. A formula of HyperPDA has the form $\varphi = Q_0\pi_0. Q_1\pi_1. \dots Q_{k-1}\pi_{k-1}. \mathcal{A}$ for some $k \geq 1$ where each Q_i is either an existential or universal quantifier and where \mathcal{A} is an ω -PDA over an alphabet of the form Σ^k . We call \mathcal{A} the automaton of φ and k the arity of both φ and \mathcal{A} . As usual, we classify formulas of HyperPDA by their quantifier alternations. Let $n \geq 1$. Σ_n (Π_n) contains all formulas with $n - 1$ quantifier alternations beginning with an existential (universal) quantifier.

The semantics of HyperPDA is defined with respect to a trace assignment, a partial mapping $\Pi: \mathcal{V} \rightarrow \Sigma^\omega$. The assignment with empty domain is denoted by Π_\emptyset . Given a trace assignment Π , a variable π , and a trace $t \in \Sigma^\omega$ we denote by $\Pi[\pi \rightarrow t]$ the assignment that coincides with Π everywhere but at π , which is mapped to t .

For sets $T \subseteq \Sigma^\omega$ of traces and trace assignments Π we define

- $(T, \Pi) \models \exists\pi_j. \varphi$ if there exists a trace $t \in T$ such that $(T, \Pi[\pi_j \rightarrow t]) \models \varphi$,
- $(T, \Pi) \models \forall\pi_j. \varphi$ if for all traces $t \in T$: $(T, \Pi[\pi_j \rightarrow t]) \models \varphi$, and
- $(T, \Pi) \models \mathcal{A}$ if \mathcal{A} accepts $\text{mrg}(\Pi(\pi_0), \dots, \Pi(\pi_{k-1}))$, where k is the arity of \mathcal{A} .

We say that T satisfies a formula φ if $(T, \Pi_\emptyset) \models \varphi$. In this case, we write $T \models \varphi$ and say that T is a model of φ . A transition system \mathfrak{T} satisfies φ , written $\mathfrak{T} \models \varphi$, if $L(\mathfrak{T}) \models \varphi$.

Remark 1. *HyperPDA subsumes HyperLTL, as quantifier-free HyperLTL formulas can be translated into Büchi automata (which are ω -VPA that do not use their stack), as they are (essentially) LTL formulas. Hence, all lower bounds for HyperLTL apply to HyperPDA, e.g., HyperVPA satisfiability is Σ_1^1 -hard [11] and we conjecture that the problem is Σ_1^1 -complete.*

The HyperPDA model-checking problem asks, given a transition system \mathfrak{T} and a HyperPDA formula φ , whether $\mathfrak{T} \models \varphi$. The model-checking problem for fragments Σ_n or Π_n of HyperPDA is defined by restricting the input formulas to the fragment. The following result follows from emptiness of ω -PDA being decidable respectively universality being undecidable.

Theorem 1.

1. *HyperPDA model-checking for Σ_1 formulas is in EXPTIME and PSPACE-hard.*
2. *HyperPDA model-checking for Π_1 formulas is undecidable.*

As our undecidability result holds even for formulas with a single universal quantifier, we obtain undecidability for any quantifier-fragment that allows universal quantifiers.

Corollary 1. *HyperPDA model-checking is undecidable for all Σ_n with $n > 1$ and all Π_n with $n \geq 1$, i.e., in particular for the full logic.*

Our preliminary results show that a single universal quantifier makes model-checking undecidable, as universality for ω -PDA is undecidable. Thus, it is prudent to study formulas with restricted classes of ω -PDA for which universality is decidable. Thus, we restrict ourselves to ω -VPA, which are closed under all Boolean operations, which implies in particular that universality is decidable.

HyperVPA. HyperVPA is the restriction of HyperPDA to formulas whose automaton is an ω -VPA. For HyperVPA, we can refine the definition of the quantifier fragments Σ_n and Π_n . To this end, let \mathcal{A} be an ω -VPA of arity $k > 0$ and let $I \subseteq \{0, 1, \dots, k - 1\}$. We say that \mathcal{A} is controlled by the indexes in I , if for all letters $(a_0, a_1, \dots, a_{k-1})$ and $(b_0, b_1, \dots, b_{k-1})$ of \mathcal{A} , $a_i = b_i$ for all $i \in I$ implies that they are both calls, or both returns, or both skips. Intuitively, the type of a letter of \mathcal{A} only depends on the positions in I . The fragments Σ_n and Π_n of HyperVPA are defined as for HyperPDA. Additionally,

let $1 \leq j \leq n$. $\Sigma_{n,j}$ and $\Pi_{n,j}$ contain the formulas of HyperVPA in Σ_n and Π_n , respectively, whose automaton is controlled by the set of indexes of the j -th quantifier block.

While HyperVPA does not have a negation operator it is nevertheless closed under negation, since a negation can be pushed over quantifiers and since ω -VPA are closed under complementation [1]. Formally, given a formula $\varphi = Q_0\pi_0. Q_1\pi_1. \dots Q_{k-1}\pi_{k-1}. \mathcal{A}$ of HyperVPA, we define its negation $\neg\varphi$ as the formula $\overline{Q_0}\pi_0. \overline{Q_1}\pi_1. \dots \overline{Q_{k-1}}\pi_{k-1}. \overline{\mathcal{A}}$ where $\overline{\exists} = \forall$, $\overline{\forall} = \exists$, and where $\overline{\mathcal{A}}$ denotes an ω -VPA accepting the complement of $L(\mathcal{A})$. Note that $\overline{\mathcal{A}}$ is defined with respect to the same partition of the input alphabet as \mathcal{A} . Hence, \mathcal{A} is controlled by some $I \subseteq \{0, 1, \dots, k-1\}$ if and only if $\overline{\mathcal{A}}$ is controlled by I . Note though that $\overline{\mathcal{A}}$ may be exponentially larger than \mathcal{A} [1].

Remark 2. Let φ be an HyperVPA formula, $n > 0$, and $1 \leq j \leq n$.

1. φ and $\neg\neg\varphi$ are equivalent.
2. φ is in Σ_n if and only if $\neg\varphi$ is in Π_n ; and φ is in $\Sigma_{n,j}$ if and only if $\neg\varphi$ is in $\Pi_{n,j}$.
3. $\mathfrak{T} \models \varphi$ if and only if $\mathfrak{T} \not\models \neg\varphi$.

The decidability result for the Σ_1 -fragment of HyperPDA (theorem 1.1) carries over to HyperVPA, as it is a fragment of HyperPDA.

Corollary 2. HyperVPA model-checking for Σ_1 formulas is in EXPTIME and PSPACE-hard.

On the other hand, due to closure of ω -VPA under complement, model-checking the Π_1 - fragment of HyperVPA is also decidable.

Theorem 2. HyperVPA model-checking for Π_1 formulas is EXPTIME-complete.

In the next two sections, we consider the fragments Σ_2 , i.e., formulas with quantifier-prefix $\forall^*\exists^*$ and Π_2 , i.e., formulas with quantifier-prefix $\exists^*\forall^*$. In section 4, we show that model-checking is decidable for the fragments $\Sigma_{2,1}$ and $\Pi_{2,1}$, i.e., if the automaton is controlled by the first quantifier block. Dually, in section 5, we show that model-checking is undecidable for the fragments $\Sigma_{2,2}$ and $\Pi_{2,2}$, i.e., if the automaton is controlled by the second quantifier block. Finally, using these results, we show at the end of section 5 that (almost all) remaining fragments have an undecidable model-checking problem.

4 Fragments of HyperVPA with Decidable Model-Checking

In this section, we first show that the model-checking problem is decidable for the fragment $\Pi_{2,1}$, i.e., formulas of the form $\forall^*\exists^*. \mathcal{A}$ such that the stack height in \mathcal{A} only depends on the universally quantified traces. This then also implies decidability for $\Sigma_{2,1}$.

In the following, we focus on formulas of the form $\forall\pi. \exists\pi'. \mathcal{A}$ (i.e., with a single variable in each quantifier block) and with variables π and π' instead of π_0 and π_1 . Both assumptions simplify our notation in the following proof. The renaming of variables is inconsequential while we comment on how to generalize the proof to general $\forall^*\exists^*$ formulas in remark 4.

Intuitively, we capture the semantics of $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$ by a two-player game between Falsifier (constructing a trace t of \mathfrak{T} for π) and Verifier (constructing a trace t' of \mathfrak{T} for π'). Verifier wins if $\text{mrg}(t, t') \in L(\mathcal{A})$. To obtain decidability of the game, the players need to pick their traces in alternation. But this puts Verifier at a disadvantage as she has only access to a prefix of t when determining t' , while t' may need to depend on all letters of t .

Assume, e.g., that \mathcal{A} is equivalent to the LTL formula $a_{\pi'} \leftrightarrow \mathbf{F} a_{\pi}$, i.e., Verifier needs to pick an a in the first round if and only if Falsifier plays an a in some round. Verifier does not have a winning strategy, even though \mathfrak{T} may satisfy the formula. However, a single bit of information about Falsifier's move ("will t contain an a ?") is sufficient for Verifier to win the game. We define a game where Falsifier, in every round, has to make binding predictions about the membership of the suffix of t starting in the current round for a precomputed list of languages (that only depends on \mathcal{A} and \mathfrak{T}). Such "prophecies" have previously been applied to HyperLTL model-checking with a single [3] and any number [27] of quantifier alternations. In the context-free setting, the prophecies need to give Verifier also information about the evolution of the stack height (which is fully controlled by Falsifier, i.e., he can indeed make predictions

about it). Our main result is that for every ω -VPA \mathcal{A} and transition system \mathfrak{T} , there is a computable list of prophecies so that Verifier wins the game with these prophecies if and only if $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$, and the resulting game can be solved effectively.

Gale-Stewart Games. A Gale-Stewart game $\mathcal{G}(L)$ is given by an ω -language $L \subseteq (\Sigma_1 \times \Sigma_2)^\omega$, its winning condition. It is played between Falsifier and Verifier in rounds $i = 0, 1, 2, \dots$: In each round, first Falsifier picks a letter $\alpha(i) \in \Sigma_1$, then Verifier picks a letter $\beta(i) \in \Sigma_2$. After ω rounds, the players have constructed an outcome $\text{mrg}(\alpha(0)\alpha(1)\alpha(2)\cdots, \beta(0)\beta(1)\beta(2)\cdots)$ which is winning for Verifier if it is in L . A strategy for Verifier in $\mathcal{G}(L)$ is a mapping $\sigma: \Sigma_1^* \rightarrow \Sigma_2$. An outcome as above is consistent with σ , if $\beta(i) = \sigma(\alpha(0)\cdots\alpha(i))$ for all i . A strategy σ for Verifier is winning if every outcome that is consistent with σ is in L . Verifier wins Verifier if she has a winning strategy for $\mathcal{G}(L)$.

Proposition 1 ([19]). *The following problem is 2EXPTIME-complete: Given an ω -VPA \mathcal{A} , does Verifier win $\mathcal{G}(L(\mathcal{A}))$?*

Löding et al. formally proved that the winner of games played on configuration graphs of visibly pushdown systems (visibly pushdown automata without an acceptance condition) and with winning conditions given by ω -VPA can be determined in doubly-exponential time. Gale-Stewart games with winning conditions given by ω -VPA can be reduced to the games considered by Löding et al. with a linear blowup.

Games with Prophecies. For the remainder of the section, fix \mathfrak{T} with set V of vertices and $\varphi = \forall\pi. \exists\pi'. \mathcal{A}$, such that \mathcal{A} is controlled by the first trace. Furthermore, let Σ be the alphabet used to label vertices in \mathfrak{T} , i.e., the alphabet of \mathcal{A} is $\Sigma \times \Sigma$. To make the predictions of Falsifier indeed binding, we use so-called prophecy variables that are used by Falsifier to make his predictions and then use the winning condition of the game to ensure he loses when he violates a prediction. Formally, let \mathcal{P} be a finite set of prophecies (to be defined later), i.e., languages over Σ , and let x_P be the prophecy variable associated to $P \in \mathcal{P}$.

Now, let $\Sigma_1 = V \times 2^{\{x_P | P \in \mathcal{P}\}}$, let $\Sigma_2 = V$, let $\text{pr}_V(\cdot)$ and $\text{pr}_{\mathcal{P}}(\cdot)$ denote the projections from Σ_1 to V and from Σ_1 to $2^{\{x_P | P \in \mathcal{P}\}}$, and let

$$\begin{aligned} L(\mathcal{A}, \mathfrak{T}, \mathcal{P}) = \{ & \text{mrg}(\alpha, \beta) \mid \alpha \in \Sigma_1^\omega, \beta \in \Sigma_2^\omega, \text{ if } \text{pr}_V(\alpha) \text{ is a path of } \mathfrak{T}, \text{ then } \beta \text{ is a path } \mathfrak{T} \text{ and,} \\ & [\forall i \in \mathbb{N}. \forall P \in \mathcal{P}. x_P \in \text{pr}_{\mathcal{P}}(\alpha(i)) \leftrightarrow \lambda(\text{pr}_V(\alpha(i)\alpha(i+1)\alpha(i+2)\cdots)) \in P] \rightarrow \\ & \text{mrg}(\lambda(\text{pr}_V(\alpha)), \lambda(\beta)) \in L(\mathcal{A})\} \end{aligned}$$

be the language expressing that whenever Falsifier's predictions are correct, then the specification expressed by \mathcal{A} must be satisfied. Further, we require Falsifier to actually pick a path in \mathfrak{T} . If he does so, then Verifier also needs to pick a path in \mathfrak{T} , otherwise she trivially wins.

Prophecies for HyperVPA Model-Checking. In the following, for \mathfrak{T} and \mathcal{A} as fixed above, we present a finite set \mathcal{P} of prophecies such that $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$ if and only if Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$. Further, we show that $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$ is recognized by an ω -VPA, i.e., the winner of the game can be effectively determined.

We continue by recalling some elementary properties about the evolution of the stack during a run of a pushdown automaton.

Remark 3 (Step, hump, matching). *A step in a run is a position n such that from there onward, the stack height will never be below the stack height at position n . Every run has infinitely many steps. A step is proper, if its stack height is never reached again. Whenever, a position of a run is not a step, we say the run is in a hump. Between two steps of the same stack height, the stack will be build up and down, giving the appearance of a "hump" over time. A call is matched if the stack height at the call is reached again. It is then matched with the return that reaches that stack height again for the first time. Otherwise, the call is unmatched. fig. 1 shows an illustration.*

A central role of our prophecies is to gather information about the development of the stack height during a run. Let us stress again that the stack height during a run is controlled solely by Falsifier, as this enables the approach of model-checking via games with prophecies in the setting of visibly pushdown specifications: The intention of prophecies is that Falsifier has to give Verifier additional information that help her overcome the disadvantage of having to pick t' without knowing t completely. This requires that Falsifier only makes truthful predictions about the future. If Falsifier is not truthful, Verifier wins




Figure 1: Development of the stack height during a run. Positions that are steps (that is, onward, the stack height never goes below the current stack height) are circled, all other positions lie inside humps. The pair (2, 7) of positions is a call matched by a return. Other such pairs are (3, 5), (5, 6), (10, 13), and (11, 12). Positions 0, 1, and 8 are calls which remain unmatched. The result of an unmatched calls is that onward, the current stack height is never reached again. Hence, these positions are proper steps.

automatically. Assume that Falsifier makes predictions about the development of the stack height. If Verifier’s moves can also influence the stack height, she can actively render Falsifier’s predictions false, making her win the game unjustly.

Before introducing the prophecies concerning the development of the stack height, we need some auxiliary notions. Given a finite word w over $\Sigma_c \cup \Sigma_r \cup \Sigma_s$, we define its effect $ef(w) \in \mathbb{Z}$ as $|w|_{\Sigma_c} - |w|_{\Sigma_r}$. Note that this does not necessarily match the stack height of a run processing w , as a return on an empty stack height is like a skip. However, if the effect never gets negative, then it matches.

In the following, we define our prophecies and give some intuition, see also fig. 1.

$$\mathbf{Step} = \{t \in \Sigma^\omega \mid ef(t(0) \cdots t(n)) \geq 0 \text{ for all } n \geq 0\}$$

With this prophecy, we require Falsifier to predict whether current position is a step (i.e., the current stack top symbol (and everything below) will never be removed).

$$\mathbf{ProperStep} = \{t \in \Sigma^\omega \mid ef(t(0) \cdots t(n)) \geq 1 \text{ for all } n \geq 0\}$$

Here, we require Falsifier to say whether current position is a *proper step*, i.e., whether it is a step and the current stack height is never reached again. Note that this implies that $t(0)$ can only be processed by a call-transition.

Before we can introduce our main prophecies (which are to be used in conjunction with **Step** and **ProperStep**), we need two more definitions.

Definition 1 (Fresh run). *Let $r = c_0\tau_0c_1\tau_1c_2\tau_2 \cdots$ be a run. We say that r is fresh if*

- $c_0 = (q, \perp A)$ for some $A \neq \perp$ and $\tau_0 = (q, A, a, q', \gamma)$, or
- $c_0 = (q, \perp)$ and $\tau_0 = (q, \perp, a, q', \gamma)$,

i.e., the stack content of c_0 is the smallest one that enables τ_0 .

Also, we need to express that we can build an accepting run of the ω -VPA \mathcal{A} . Since \mathcal{A} uses Büchi acceptance, an accepting run is a run that visits an accepting state infinitely often. However, it is not enough to specify that it is possible in the future to visit infinitely many times an accepting state, a run must actually make progress towards visiting an accepting state in order to be accepting in the limit. Hence, we need to compare runs in terms of visiting an accepting state as soon as possible.

Definition 2 (FirstAcc(\cdot)). *Given a (possibly finite) run $r = c_0\tau_0c_1\tau_1c_2\tau_2 \cdots$ of \mathcal{A} , we define $\text{FirstAcc}(r) = n$ where n is minimal with c_n being a configuration whose state is accepting. If no such configuration exists, we define $\text{FirstAcc}(r) = \infty$.*

Now, we introduce the main prophecies. The first ones are relevant whenever Falsifier indicates that the current position (in a run) is a step (as indicated by the prophecy **Step**). We dub them “**Step**”-prophecies. Assume Falsifier has already made his move in some round, say to vertex u , i.e., $\lambda(u)$ determines what type (that is, call, skip or return) the transition processing $\lambda(u)$ and Verifier’s move

in \mathcal{A} has. If the current position is a step, four possibilities can occur: If $\lambda(u)$ induces a call, it is either eventually matched by a return (handled via “`MatchedCallStep`”) or never matched by a return (handled via “`UnmatchedCallStep`”). Alternatively, $\lambda(u)$ can induce a skip (handled via “`SkipStep`”). Finally, it is also possible that $\lambda(u)$ induces a return. However, then it must be a return on the empty stack (which induces the same stack behavior as a skip), otherwise the position is clearly not a step. This is handled via “`UnmatchedReturnStep`”.

Each prophecy includes a detailed description of its intended use. To denote parameters (for this and also the other prophecies) we use u, v, v_τ, \dots for vertices of \mathfrak{T} , and τ, η, \dots for transitions of \mathcal{A} .

`MatchedCallStep` $\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle = \{t \in L(\mathfrak{T}_u) \mid \text{there exists an infinite path } \rho = v_0 v_1 v_2 \dots \text{ in } \mathfrak{T} \text{ and a fresh infinite run } r = c_0 \tau_0 c_1 \tau_1 \dots \text{ of } \mathcal{A} \text{ on } \text{mrg}(t, \lambda(\rho)) \text{ such that:}$

$v_0 = v_\tau \in \text{Succ}(v)$, and $\tau_0 = \tau$, and τ is a call-transition,

and n is the smallest number such that $\text{sh}(c_0) = \text{sh}(c_{n+1})$ (which we require to exist),

and $v_n = v_\eta$, and $\tau_n = \eta$ (note that η must be a return-transition),

and r is accepting,

and for all paths ρ' in $\mathfrak{T}_{v'}$ where $v' \in \text{Succ}(v)$ and for all accepting runs r' of \mathcal{A}

on $\text{mrg}(t, \lambda(\rho'))$ of the form $c_0 \tau'_0 c'_1 \tau'_1 \dots$ we have $\text{FirstAcc}(r) \leq \text{FirstAcc}(r')$.

- Falsifier continues his path from u , and Verifier continues her path from $v_\tau \in \text{Succ}(v)$, the traces induced by these continuations are called t and t' , respectively.
- The above starting point reflects that in the game, first Falsifier makes his move (he has moved to u), then it is Verifier’s turn, she is in v , and needs to move to some vertex in $\text{Succ}(v)$. This prophecy reflects her possibilities if she chooses to move to $v_\tau \in \text{Succ}(v)$.
- Say, so far \mathcal{A} has reached q and $A \in \Gamma_\perp$ is the topmost stack symbol (meaning the exact configuration is of the form $(q, \gamma' A)$ for some $\gamma' \in \Gamma_\perp^*$). Note that q and A are not parameters of the prophecy, we just use them for illustrative purposes.
- We require that Verifier has the possibility to continue her trace such that the run on $\text{mrg}(t, t')$ is accepting using τ as its next transition. The current stack top symbol and everything below will never be removed, so having an accepting run continuing from $(q, \gamma' A)$ is equivalent to having an accepting run from (q, A) , that is, to have a fresh run.
- As this is a matched call, it is required that its matching return is processed by η (processing the letter $(t(n), \lambda(v_\eta)) \in \Sigma^2$) that happens n transitions later.
- As explained before the definition of $\text{FirstAcc}(\cdot)$, for acceptance it is important to make actual progress towards visiting an accepting state. Here, it is required that r is a run that visits an accepting state as soon as possible, compared to all other accepting runs
- In fig. 1, this type of prophecy is used at position 2.

The above prophecy is central, in a global view, to ensuring Verifier can win the game if the formula is satisfied: It is used when the current position is a step and a call occurs that will be matched by a return eventually, i.e., the position after the matching return is a step again. The prophecy ensures that after the hump between the call and its matching return, Verifier can continue to play in a way that \mathcal{A} can still accept. The upcoming three prophecies cover the possibilities to reach a step directly after a step without a hump in between, which simplifies their definitions slightly.

`UnmatchedCallStep` $\langle u, v, v_\tau, \tau \rangle = \{t \in L(\mathfrak{T}_u) \mid \text{there exists an infinite path } \rho = v_0 v_1 v_2 \dots \text{ in } \mathfrak{T} \text{ and a fresh infinite run } r = c_0 \tau_0 c_1 \tau_1 \dots \text{ of } \mathcal{A} \text{ on } \text{mrg}(t, \lambda(\rho)) \text{ such that:}$

$v_0 = v_\tau \in \text{Succ}(v)$, and $\tau_0 = \tau$, and τ is a call-transition,

and $\text{sh}(c_0) < \text{sh}(c_{i+1})$ for all $i \geq 0$,

and r is accepting,

and for all paths ρ' in $\mathfrak{T}_{v'}$ where $v' \in \text{Succ}(v)$ and all accepting runs r' of \mathcal{A}

on $\text{mrg}(t, \lambda(\rho'))$ of the form $c_0 \tau'_0 c'_1 \tau'_1 \dots$ we have $\text{FirstAcc}(r) \leq \text{FirstAcc}(r')$.

- This is very similar to the above case, except that the call is unmatched.

- In fig. 1, this type of prophecy is used in positions 0, 1, and 8.

SkipStep $\langle u, v, v_\tau, \tau \rangle = \{t \in L(\mathfrak{T}_u) \mid \text{there exists an infinite path } \rho = v_0 v_1 v_2 \dots \text{ in } \mathfrak{T} \text{ and a fresh infinite run } r = c_0 \tau_0 c_1 \tau_1 \dots \text{ of } \mathcal{A} \text{ on } \text{mrg}(t, \lambda(\rho)) \text{ such that:}$

$$v_0 = v_\tau, \text{ and } \tau_0 = \tau, \text{ and } \tau \text{ is a skip-transition,}$$

and r is accepting,

and for all paths ρ' in $\mathfrak{T}_{v'}$ where $v' \in \text{Succ}(v)$ and all accepting runs r' of \mathcal{A}

$$\text{on } \text{mrg}(t, \lambda(\rho')) \text{ of the form } c_0 \tau'_0 c'_1 \tau'_1 \dots \text{ we have } \text{FirstAcc}(r) \leq \text{FirstAcc}(r').\}$$

- Exactly like **UnmatchedCallStep** $\langle u, v, v_\tau, \tau \rangle$, but the first letter is a skip, not a call.
- In fig. 1, this type of prophecy is used in position-9.

UnmatchedReturnStep $\langle u, v, v_\tau, \tau \rangle = \{t \in L(\mathfrak{T}_v) \mid \text{there exists an infinite path } \rho = v_0 v_1 v_2 \dots \text{ in } \mathfrak{T} \text{ and a fresh infinite run } r = c_0 \tau_0 c_1 \tau_1 \dots \text{ of } \mathcal{A} \text{ on } \text{mrg}(t, \lambda(\rho)) \text{ such that:}$

$$v_0 = v_\tau, \text{ and } \tau_0 = \tau, \text{ and } \tau \text{ is a return-transition of the form } (q_1, \perp, (\lambda(u), \lambda(v_0)), q_2, \perp),$$

and r is accepting,

and for all paths ρ' in $\mathfrak{T}_{v'}$ where $v' \in \text{Succ}(v)$ and all accepting runs r' of \mathcal{A}

$$\text{on } \text{mrg}(t, \lambda(\rho')) \text{ of the form } c_0 \tau'_0 c'_1 \tau'_1 \dots \text{ we have } \text{FirstAcc}(r) \leq \text{FirstAcc}(r').\}$$

- Like before, but for the special case of returns on the empty stack.

The next three prophecies are relevant whenever the current position is not a step, i.e., the position is inside a hump. We dub them “**Hump**”-prophecies. These prophecies give only information about the future until the stack height goes below the current stack height (which eventually happens, as the position is in a hump, see remark 3). In a hump, it is possible to encounter calls, which must be matched as unmatched calls always induce a step. This is handled by “**CallHump**”. It is furthermore possible to encounter skips, which is handled by “**CallSkip**”, or to encounter returns, which is handled by “**ReturnHump**”.

The “**Step**”-prophecies take a global view; their purpose is to ensure that in every position that is a step, Verifier can still win taking the whole future into account. In contrast, the “**Hump**”-prophecies take on a more local view; their purpose is to ensure that Verifier is able to handle the current hump.

SkipHump $\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle = \{t \in L(\mathfrak{T}_u) \mid \text{there exists a finite path } \rho = v_0 \dots v_n \text{ in } \mathfrak{T} \text{ and a fresh finite run } r = c_0 \tau_0 c_1 \tau_1 \dots \tau_n c_{n+1} \text{ of } \mathcal{A} \text{ on } \text{mrg}(t[0, n], \lambda(\rho)) \text{ such that:}$

$$v_0 = v_\tau, \text{ and } \tau_0 = \tau, \text{ and } \tau \text{ is a skip-transition,}$$

and n is the smallest number such that $\text{sh}(c_0) - 1 = \text{sh}(c_{n+1})$ (which we require to exist),

and $v_n = v_\eta$, and $\tau_n = \eta$ (note that η must be a return-transition),

and for all paths $\rho' = v'_0 \dots v'_n$ in \mathfrak{T} where $v'_0 \in \text{Succ}(v)$ and $v'_n = v_n$ and all finite runs r' of \mathcal{A}

$$\text{on } \text{mrg}(t[0, n], \lambda(\rho')) \text{ of the form } c_0 \tau'_0 c'_1 \tau'_1 \dots c'_n \tau_n c_{n+1} \text{ we have } \text{FirstAcc}(r) \leq \text{FirstAcc}(r').\}$$

- The current stack top symbol (say, for illustration purposes only, it is A and the exact configuration reached is of the form $(q, \gamma A)$ for some $\gamma \in \Gamma_\perp^*$) will be removed eventually (note that this implies $A \neq \perp$).
- We are now only interested in what happens until the current stack top symbol is removed (what happens after is handled by some “**MatchedCallStep**”-prophecy).
- Concretely, we require that Verifier has the possibility that the run on $\text{mrg}(t, t')$ continues from $(q_1, \gamma A)$ using τ (processing $(t(0), \lambda(v_\tau)) \in \Sigma^2$) as its next transition and the current stack top symbol A is removed via η (processing $(t(n), \lambda(v_\eta)) \in \Sigma^2$) after n transitions.
- The concrete stack content γ below A is irrelevant for the calculation of the run until the current top symbol is removed, thus it suffices to specify that there is such a run starting from (q_1, A) instead, that is, it suffices to consider such a fresh run.
- As for the other prophecies, since we use Büchi acceptance, we need to make progress towards visiting an accepting state. Hence, the finite run r must be a run that visits an accepting state as soon as possible (if possible) compared to all other runs that respect the same conditions on how the next return must happen.

$\text{CallHump}\langle u, v, v_\eta, v_\tau, v_\vartheta, \tau, \eta, \vartheta \rangle = \{t \in L(\mathfrak{T}_u) \mid \text{there exists a finite path } \rho = v_0 \cdots v_n \text{ in } \mathfrak{T} \text{ and a fresh finite run } r = c_0 \tau_0 c_1 \tau_1 \cdots \tau_n c_{n+1} \text{ of } \mathcal{A} \text{ on } \text{mrg}(t[0, n], \lambda(\rho)) \text{ such that:}$

$v_0 = v_\tau$, and $\tau_0 = \tau$, and τ is a call-transition,

and m is the smallest number such that $\text{sh}(c_0) = \text{sh}(c_{m+1})$ (which we require to exist),

and $v_m = v_\eta$, and $\tau_m = \eta$ (note that η must be a return-transition),

and n is the smallest number such that $\text{sh}(c_0) - 1 = \text{sh}(c_{n+1})$ (which we require to exist),

and $v_n = v_\vartheta$, and $\tau_n = \vartheta$ (note that ϑ must be a return-transition),

and for all paths $\rho' = v'_0 \cdots v'_n$ in \mathfrak{T} where $v'_0 \in \text{Succ}(v)$ and $v'_n = v_n$ and all finite runs r' of \mathcal{A} on $\text{mrg}(t[0, n], \lambda(\rho'))$ of the form $c_0 \tau'_0 c'_1 \tau'_1 \cdots c'_n \tau_n c_{n+1}$ we have $\text{FirstAcc}(r) \leq \text{FirstAcc}(r')$.

- The current letter is a call (obviously matched, as all calls in a hump are). We require that the call is processed by τ (processing $(t(0), \lambda(v_\tau)) \in \Sigma^2$) and the matching return, m transitions later, processed by η (processing $(t(m), \lambda(v_\eta)) \in \Sigma^2$).
- Since we are already in hump, the stack symbol that was on top at the beginning will be removed too, after $n - m$ additional transitions, via ϑ (processing $(t(n), \lambda(v_\vartheta)) \in \Sigma^2$).
- As before, we need to make progress towards visiting an accepting state, hence we aim to visit an accepting state as soon as possible. As for the previous prophecy, how the topmost stack symbol must be removed has been fixed before, when its matching call has been made. Thus, we are looking for an optimal (in terms of visiting an accepting state as soon as possible) path/run among those that, after n transitions, reach v_ϑ and use ϑ .
- In fig. 1, this type of prophecy is used in positions 3, 5, and 11.

$\text{ReturnHump}\langle u, v_\eta, \eta \rangle = \{t \in L(\mathfrak{T}_u) \mid \eta = (q, A, (\lambda(u), \lambda(v_\eta)), q', \varepsilon) \text{ for some } q, q' \in Q, \text{ and } A \in \Gamma \}$.

- The topmost stack symbol is removed and it is specified how Verifier is able to do so.
- This prophecy does not include the condition regarding visiting an accepting state as soon as possible. This is because all returns (that are not returns on the empty stack) have been fixed beforehand when their matching call was made. At that time, progress towards visiting an accepting state has been ensured. This also explains why this prophecy does not have a vertex v (symbolizing the vertex Verifier is in) as parameter, since we do not care that Verifier could also move to some $v' \in \text{Succ}(v)$ with $v' \neq v_\eta \in \text{Succ}(v)$.
- This type of prophecy is used in all positions where a return happens on a nonempty stack. In fig. 1, that is, positions 4, 6, 7, 12, and 13.

For each of these prophecies, one can construct an ω -VPA accepting it. The only nontrivial aspect here is to ensure that the run r referred to in the definitions of the prophecies satisfies $\text{FirstAcc}(r) \leq \text{FirstAcc}(r')$ for all other runs r' , which can be taken care of using projection and complementation. Here, we again rely on the stack height being controlled by the universally quantified variable only.

Furthermore, one can show that these prophecies give Verifier enough information about the trace t Falsifier is constructing during the play to construct t' without having full access to t . Intuitively, she always has a move so that from the resulting configuration, she can still win, while also infinitely often ensuring that an accepting state is indeed visited. Intuitively, the parameters (in particular, the v_τ and the v_η) of the carefully selected prophecies yield such moves. The detailed proof is presented in the appendix.

Lemma 1. *Let \mathcal{P} be the set of prophecies introduced above.*

1. $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$ is recognized by an ω -VPA of triply-exponential size (in $|\mathcal{A}|$ and $|\mathfrak{T}|$).
2. Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ if and only if $\mathfrak{T} \models \forall \pi. \exists \pi'. \mathcal{A}$.

Thus, with proposition 1, we obtain our main result about HyperVPA.

Theorem 3. *HyperVPA model-checking for $\Pi_{2,1}$ formulas is in 5EXPTIME .*

Remark 4. Recall that we restricted ourselves to formulas of the form $\forall\pi. \exists\pi'. \mathcal{A}$, i.e., with a single variable in each quantifier block. To generalize the construction to arbitrary $\Pi_{2,1}$ formulas (say with k universal quantifiers and k' existential ones), the prophecies are languages of k -tuples of traces and their definition existentially quantifies k' paths. So, the parameters u, v, v_τ , and v_η are replaced by vectors of vertices of length k or k' , respectively.

Applying remark 2, we also obtain decidability for the dual fragment of $\Sigma_{2,1}$.

Corollary 3. *HyperVPA model-checking for $\Pi_{2,1}$ formulas is in 5EXPTIME .*

5 Fragments of HyperVPA with Undecidable Model-Checking

In this section, we consider the model-checking problem for the fragment $\Pi_{2,2}$, i.e., formulas of the form $\forall^*\exists^*. \mathcal{A}$ such that the stack height in \mathcal{A} only depends on the existentially quantified traces. Here, one can encode the undecidable universality problem for pushdown automata by letting the universal quantifier range over inputs w and the existential one over runs r , i.e., \mathcal{A} checks that r is indeed an accepting run on w by simulating r . Hence, the stack of \mathcal{A} is indeed controlled by the existentially quantified variable.

Theorem 4. *HyperVPA model-checking for $\Pi_{2,2}$ formulas is undecidable.*

Again, by applying remark 2 we also obtain undecidability for the dual fragment $\Sigma_{2,2}$. Further, as $\Sigma_{2,2}$ or $\Pi_{2,2}$ can be embedded in each $\Sigma_{n,j}$ and each $\Pi_{n,j}$ with $n > 2$ and $j > 1$ (using dummy variables), model-checking for these fragments is undecidable as well.

Corollary 4. *HyperVPA model-checking for $\Sigma_{n,j}$ and $\Pi_{n,j}$ formulas is undecidable for each $n > 1$ and $j > 1$.*

Hence, we have settled the decidability of all fragments but $\Sigma_{n,1}$ and $\Pi_{n,1}$ for $n > 2$.

6 Conclusion

We have introduced HyperPDA and HyperVPA to specify context-free hyperproperties, which extend ω -PDA and ω -VPA, respectively, by quantification over traces, just like HyperLTL extends LTL by trace quantification. Not surprisingly, HyperPDA model-checking is undecidable for all quantifier-fragments but Σ_1 (i.e., \exists^* formulas), as the undecidable universality problem for PDA can be encoded using formulas of the form $\forall\pi_0. \mathcal{A}$.

For HyperVPA, the situation is better. Here, model-checking for $\Pi_{2,1}$ and $\Sigma_{2,1}$ formulas (i.e., $\forall^*\exists^*$ and $\exists^*\forall^*$ formulas where the partition into calls, returns, and skips only depends on the letters of the traces quantified in the first quantifier block) is decidable. Thus, one quantifier alternation can be handled under some mild assumptions, which covers many hyperproperties from the literature. We complemented this by showing that model-checking for $\Pi_{2,2}$ and $\Sigma_{2,2}$ (i.e., one quantifier alternation, but the partition depends only on the second block of quantifiers) is undecidable. These results also immediately imply undecidability for all $\Sigma_{n,j}$ and $\Pi_{n,j}$ for each $n > 2$ and $j > 1$.

This leaves only the fragments $\Sigma_{n,1}$ and $\Pi_{n,1}$ for $n > 2$. Our undecidability proof crucially depends on the partition depending on a non-first block of quantifiers. On the other hand, the game-based characterization of HyperLTL model-checking using prophecies can be applied to arbitrary quantifier prefixes [27], at the price of requiring imperfect information games. We are currently investigating whether this approach can be lifted to $\Sigma_{n,1}$ and $\Pi_{n,1}$ relying on imperfect information games with visibly pushdown winning conditions.

Acknowledgments. The work on this paper was partly supported by the project ‘Hyperlogics: Expressiveness, Monitorability and Tools (H.-Lo)’ of the Icelandic Research Fund, project no. 2612260-051.

References

- [1] Rajeev Alur and P. Madhusudan. Visibly pushdown languages. In László Babai, editor, *STOC 2004*, pages 202–211. ACM, 2004.
- [2] Ali Bajwa, Minjian Zhang, Rohit Chadha, and Mahesh Viswanathan. Stack-aware hyperproperties. In Sriram Sankaranarayanan and Natasha Sharygina, editors, *TACAS 2023, Part I*, LNCS, pages 308–325. Springer, 2023.
- [3] Raven Beutner and Bernd Finkbeiner. Prophecy variables for hyperproperty verification. In *CSF 2022*, pages 471–485, , 2022. IEEE.
- [4] Ahmed Bouajjani, Javier Esparza, and Oded Maler. Reachability analysis of pushdown automata: Application to model-checking. In Antoni W. Mazurkiewicz and Józef Winkowski, editors, *CONCUR 1997*, LNCS, pages 135–150. Springer, 1997.
- [5] Laura Bozzelli. Alternating automata and a temporal fixpoint calculus for visibly pushdown languages. In Luís Caires and Vasco Thudichum Vasconcelos, editors, *CONCUR 2007*, LNCS, pages 476–491. Springer, 2007.
- [6] Michael R. Clarkson, Bernd Finkbeiner, Masoud Koleini, Kristopher K. Micinski, Markus N. Rabe, and César Sánchez. Temporal logics for hyperproperties. In Martín Abadi and Steve Kremer, editors, *POST 2014*, volume 8414 of *LNCS*, pages 265–284, , 2014. Springer.
- [7] Michael R. Clarkson and Fred B. Schneider. Hyperproperties. *J. Comput. Secur.*, 18(6):1157–1210, 2010.
- [8] Norine Coenen, Bernd Finkbeiner, César Sánchez, and Leander Tentrup. Verifying hyperliveness. In Isil Dillig and Serdar Tasiran, editors, *CAV 2019, Part I*, volume 11561 of *LNCS*, pages 121–139, , 2019. Springer.
- [9] Rina S. Cohen and Arie Y. Gold. Theory of omega-languages. II. A study of various models of omega-type generation and recognition. *J. Comput. Syst. Sci.*, 15(2):185–208, 1977.
- [10] Rina S. Cohen and Arie Y. Gold. Omega-computations on deterministic pushdown machines. *J. Comput. Syst. Sci.*, 16(3):275–300, 1978.
- [11] Marie Fortin, Louwe B. Kuijjer, Patrick Totzke, and Martin Zimmermann. HyperLTL satisfiability is highly undecidable, HyperCTL* is even harder. *Log. Methods Comput. Sci.*, 21(1):3, 2025.
- [12] Hadar Frenkel and Sarai Sheinvald. Realizable and context-free hyperlanguages. In Pierre Ganty and Dario Della Monica, editors, *GandALF 2022*, EPTCS, pages 114–130, 2022.
- [13] Sheila A. Greibach. A new normal-form theorem for context-free phrase structure grammars. *J. ACM*, 12(1):42–52, 1965.
- [14] Erich Grädel, Wolfgang Thomas, and Thomas Wilke, editors. *Automata, Logics, and Infinite Games: A Guide to Current Research*, volume 2500 of *LNCS*. Springer, 2002.
- [15] Jens Oliver Gutsfeld, Markus Müller-Olm, and Christoph Ohrem. Deciding asynchronous hyperproperties for recursive programs. *Proc. ACM Program. Lang.*, 8(POPL):33–60, 2024.
- [16] John E. Hopcroft, Rajeev Motwani, and Jeffrey D. Ullman. *Introduction to Automata Theory, Languages, and Computation (3rd Edition)*. Addison-Wesley Longman Publishing Co., Inc., USA, 2006.
- [17] Dexter Kozen. Lower bounds for natural proof systems. In *FOCS 1977*, pages 254–266. IEEE Computer Society, 1977.
- [18] Yusi Lei, Fu Song, Wanwei Liu, and Min Zhang. On the complexity of ω -pushdown automata. *Sci. China Inf. Sci.*, 60(11):112102:1–112102:15, 2017.

- [19] Christof Löding, P. Madhusudan, and Olivier Serre. Visibly pushdown games. In Kamal Lodaya and Meena Mahajan, editors, *FSTTCS 2004*, volume 3328 of *LNCS*, pages 408–420. Springer, 2004.
- [20] Corto Mascle and Martin Zimmermann. The keys to decidable HyperLTL satisfiability: Small models or very simple formulas. In Maribel Fernández and Anca Muscholl, editors, *CSL 2020*, volume 152 of *LIPICs*, pages 29:1–29:16, , 2020. Schloss Dagstuhl - Leibniz-Zentrum für Informatik.
- [21] Daryl McCullough. Noninterference and the composability of security properties. In *SSP 1988*, pages 177–186, , 1988. IEEE Computer Society.
- [22] Kurt Mehlhorn. Pebbling mountain ranges and its application of DCFL-recognition. In J. W. de Bakker and Jan van Leeuwen, editors, *ICALP 1980*, LNCS, pages 422–435. Springer, 1980.
- [23] Amir Pnueli. The temporal logic of programs. In *FOCS 1977*, pages 46–57, , Oct 1977. IEEE.
- [24] Adrien Pommellet and Tayssir Touili. Model-checking HyperLTL for pushdown systems. In María-del-Mar Gallardo and Pedro Merino, editors, *SPIN 2018*, LNCS, pages 133–152. Springer, 2018.
- [25] Markus N. Rabe. *A temporal logic approach to information-flow control*. PhD thesis, Saarland University, 2016.
- [26] A. Prasad Sistla and Edmund M. Clarke. The complexity of propositional linear temporal logics. *J. ACM*, 32(3):733–749, 1985.
- [27] Sarah Winter and Martin Zimmermann. Prophecies all the way: Game-based model-checking for HyperQPTL beyond $\forall^*\exists^*$. In Patricia Bouyer and Jaco van de Pol, editors, *CONCUR 2025*, volume 348 of *LIPICs*, pages 37:1–37:18. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2025.
- [28] Sarah Winter and Martin Zimmermann. Tracy, traces, and transducers: computable counterexamples and explanations for HyperLTL model-checking. *Acta Informatica*, 62(3):31, 2025.

Appendix

Before we present the proofs omitted in the main part, we briefly review the closure properties of ω -VPA, as these will be useful throughout the appendix.

Let Σ be partitioned into $(\Sigma_c, \Sigma_r, \Sigma_s)$, let Σ' be partitioned into $(\Sigma'_c, \Sigma'_r, \Sigma'_s)$, and let $f: \Sigma \rightarrow \Sigma'$. We say that f is a renaming, if $f(\Sigma_c) \subseteq \Sigma'_c$, $f(\Sigma_r) \subseteq \Sigma'_r$, and $f(\Sigma_s) \subseteq \Sigma'_s$, i.e., f preserves the type of the letter.

Let \mathcal{A}_0 and \mathcal{A}_1 be ω -VPA over the same alphabet Σ with the same partition $(\Sigma_c, \Sigma_r, \Sigma_s)$. Furthermore, let $f: \Sigma \rightarrow \Sigma'$ be a renaming where Σ' is partitioned into $(\Sigma'_c, \Sigma'_r, \Sigma'_s)$. Then:

- $L(\mathcal{A}_0) \cap L(\mathcal{A}_1)$ is recognized by an ω -VPA with the partition $(\Sigma_c, \Sigma_r, \Sigma_s)$ and polynomial size in $|\mathcal{A}_0|$ and $|\mathcal{A}_1|$.
- $L(\mathcal{A}_0) \cup L(\mathcal{A}_1)$ is recognized by an ω -VPA with the partition $(\Sigma_c, \Sigma_r, \Sigma_s)$ and polynomial size in $|\mathcal{A}_0|$ and $|\mathcal{A}_1|$.
- $\Sigma^\omega \setminus L(\mathcal{A}_0)$ is recognized by an ω -VPA with the partition $(\Sigma_c, \Sigma_r, \Sigma_s)$ and exponential size in $|\mathcal{A}_0|$.
- $f(L(\mathcal{A}_0))$ is recognized by an ω -VPA with the partition $(\Sigma'_c, \Sigma'_r, \Sigma'_s)$ and size $|\mathcal{A}_0|$.

7 Proofs Omitted in Section 3

7.1 Proof of Theorem 1

Theorem 1.

1. *HyperPDA model-checking for Σ_1 formulas is in EXPTIME and PSPACE-hard.*
2. *HyperPDA model-checking for Π_1 formulas is undecidable.*

Proof. 1.) We have $\mathfrak{T} \models \exists \pi_0. \dots \exists \pi_{k-1}. \mathcal{A}$ if and only if

$$\{\text{mrg}(t_0, \dots, t_{k-1}) \mid t_0, \dots, t_{k-1} \in L(\mathfrak{T})\} \cap L(\mathcal{A}) \neq \emptyset.$$

As the set on the left-hand side of the intersection is ω -regular, i.e., recognized by some Büchi automaton (see, e.g., [14] for definitions), and languages of ω -PDA are effectively closed under intersections with ω -regular languages [9], the model-checking problem for Σ_1 formulas boils down to emptiness-checking for ω -PDA. The resulting ω -VPA is of size $|\mathfrak{T}|^k \cdot |\mathcal{A}|$. Thus, as emptiness can be decided in polynomial-time [18], we obtain membership in EXPTIME.

To prove the PSPACE lower bound, we present a reduction from the intersection problem for DFA: given a sequence $\mathcal{D}_0, \dots, \mathcal{D}_{k-1}$ of DFA, determine whether $\bigcap_{i=0}^{k-1} L(\mathcal{D}_i)$ is nonempty. Kozen showed that this problem is PSPACE-complete [17].

Given such a sequence $\mathcal{D}_0, \dots, \mathcal{D}_{k-1}$ of DFA (w.l.o.g., over some joint alphabet Σ), one can construct a transition system \mathfrak{T} such that

$$L(\mathfrak{T}) = \bigcup_{i=0}^{k-1} \{(w(0), i) \dots (w(n-1), i) \#^\omega \dots \mid w(0) \dots w(n-1) \in L(\mathcal{D}_i)\} \cup (\Sigma \times \{i\})^\omega.$$

To this end, one takes the disjoint union of the \mathcal{A}_i , moves the transition labels of the DFA to the states (which requires to extend the state set), and adds i to the label of the states resulting from \mathcal{A}_i .

Furthermore, one can construct a Büchi automaton for the language

$$\{\text{mrg}(w_0, \dots, w_{k-1}) \mid \text{there exists } w(0) \dots w(n-1) \in \Sigma^* \text{ s.t. } w_i = (w(0), i) \dots (w(n-1), i) \#^\omega \text{ for all } i\}.$$

This Büchi automaton can be turned into an equivalent ω -VPA \mathcal{A} . Both \mathfrak{T} and \mathcal{A} are polynomial in the sum of the sizes of the \mathcal{D}_i . For \mathcal{A} , we rely on the fact that we allow automata to be incomplete, i.e., not all (exponentially many) letters must have transitions, only the (polynomially many) required to accept the words in $L(\mathcal{A})$ as described above.

Now, the languages of the \mathcal{A}_i have a nonempty intersection if and only if $\mathfrak{T} \models \exists \pi_0. \dots \exists \pi_{k-1}. \mathcal{A}$.

2.) Let \mathcal{A} be an ω -PDA over some alphabet Σ and let \mathfrak{T}_U be a transition system with $L(\mathfrak{T}_U) = \Sigma^\omega$, which can be constructed with $|\Sigma|$ many vertices. Then, we have $\mathfrak{T}_U \models \forall \pi_0. \mathcal{A}$ if and only if \mathcal{A} is universal. As universality for ω -PDA is undecidable [10], so is the model-checking problem for Π_1 formulas. \square

Remark 5. Note that we do not use the stack in the lower bound for theorem 1.1, i.e., one could conjecture that the problem can be shown EXPTIME-hard by utilizing the stack.

7.2 Proof of Theorem 2

Theorem 2. *HyperVPA model-checking for Π_1 formulas is EXPTIME-complete.*

Proof. Let \mathcal{A} be an ω -VPA. We have $\mathfrak{T} \models \forall \pi_0. \dots \forall \pi_{k-1}. \mathcal{A}$ if and only if

$$\{\text{mrg}(t_0, \dots, t_{k-1}) \mid t_0, \dots, t_{k-1} \in L(\mathfrak{T})\} \subseteq L(\mathcal{A}),$$

which is equivalent to

$$\{\text{mrg}(t_0, \dots, t_{k-1}) \mid t_0, \dots, t_{k-1} \in L(\mathfrak{T})\} \cap \overline{L(\mathcal{A})} = \emptyset,$$

where $\overline{L(\mathcal{A})}$ is the complement of $L(\mathcal{A})$.

The EXPTIME upper bound follows then from the following bounds:

- ω -VPA can be complemented with an exponential blow-up: Löding et al. [19] showed that every ω -VPA can be determinized into a stair VPA with an exponential blow-up, that stair VPA are complementable without a size blowup, and that stair VPA can be turned into equivalent standard ω -VPA with a polynomial blowup.

Hence, one can construct an exponentially-sized ω -VPA for $\overline{L(\mathcal{A})}$.

- One can construct, by taking k copies of \mathfrak{T} , a Büchi automaton for $\{\text{mrg}(t_0, \dots, t_{k-1}) \mid t_0, \dots, t_{k-1} \in L(\mathfrak{T})\}$, which can be turned into an equivalent ω -VPA of exponential size.

- As ω -VPA are closed under intersection, we can also construct an exponentially-sized ω -VPA for $\{\text{mrg}(t_0, \dots, t_{k-1}) \mid t_0, \dots, t_{k-1} \in L(\mathfrak{T})\} \cap \overline{L(\mathcal{A})}$.
- Emptiness of ω -PDA (and thus of ω -VPA) can be checked in polynomial time [18].

For the matching lower bound, recall that universality of ω -VPA is EXPTIME-complete. Thus, noting that an ω -VPA \mathcal{A} (with alphabet Σ) is universal if and only if $\mathfrak{T}_\Sigma \models \forall \pi_0. \mathcal{A}$, where \mathfrak{T}_Σ is a transition system with $L(\mathfrak{T}_\Sigma) = \Sigma^\omega$, yields the desired reduction from ω -VPA universality to HyperVPA model-checking for Π_1 formulas. \square

8 Proofs Omitted in Section 4

In this section, we prove lemma 1.

Lemma 1. *Let \mathcal{P} be the set of prophecies introduced above.*

1. $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$ is recognized by an ω -VPA of triply-exponential size (in $|\mathcal{A}|$ and $|\mathfrak{T}|$).
2. Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ if and only if $\mathfrak{T} \models \forall \pi. \exists \pi'. \mathcal{A}$.

The proof is split into several independent steps:

- In Subsection 8.1, we first show that each individual prophecy is recognized by an ω -VPA and bound the size of these automata (lemma 2). Using the ω -VPA for the prophecies, we then construct an ω -VPA for the winning condition $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$ and bound its size (lemma 3).
- In Subsection 8.2, we prove the left-to-right direction of the correctness claim (i.e., soundness): If Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ then $\mathfrak{T} \models \forall \pi. \exists \pi'. \mathcal{A}$.
- In Subsection 8.2, we prove the right-to-left direction correctness claim (i.e., completeness): If $\mathfrak{T} \models \forall \pi. \exists \pi'. \mathcal{A}$ then Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$.

8.1 The Prophecies and the Winning Condition are Visibly Pushdown Languages

Recall that \mathcal{A} is the automaton of the formula $\forall \pi. \exists \pi'. \mathcal{A}$ we have fixed, which processes words over a product alphabet $\Sigma \times \Sigma$. As \mathcal{A} is an ω -VPA, $\Sigma \times \Sigma$ is partitioned into $(\Sigma'_c, \Sigma'_r, \Sigma'_s)$. Finally, as \mathcal{A} is controlled by the first component, there is a partition of Σ into $(\Sigma_c, \Sigma_r, \Sigma_s)$ such that $\Sigma'_c = \Sigma_c \times \Sigma$, $\Sigma'_r = \Sigma_r \times \Sigma$, and $\Sigma'_s = \Sigma_s \times \Sigma$. We call $(\Sigma_c, \Sigma_r, \Sigma_s)$ the projected partition of \mathcal{A} .

Furthermore, recall that a fresh run is a run $r = c_0 \tau_0 c_1 \tau_1 c_2 \tau_2 \dots$ such that

- $c_0 = (q, \perp A)$ for some $A \neq \perp$ and $\tau_0 = (q, A, a, q', \gamma)$, or
- $c_0 = (q, \perp)$ and $\tau_0 = (q, \perp, a, q', \gamma)$,

Note that c_0 is uniquely determined by τ_0 . Hence, a fresh run is uniquely determined by the sequence $\tau_0 \tau_1 \tau_2 \dots$, as each c_{n+1} is uniquely determined by applying τ_n to c_n . In the following, we will often use this property.

Lemma 2. *Each prophecy in \mathcal{P} is recognized by an ω -VPA of at most exponential (in $|\mathcal{A}|$ and $|\mathfrak{T}|$) size. Furthermore, all these ω -VPA use the projected partition of \mathcal{A} .*

Proof. We begin with the auxiliary prophecies **Step** and **ProperStep** and present ω -VPA recognizing them in fig. 2.

The automaton for **Step** keeps track of the effect of the prefix processed thus far using the stack height, as long as the effect is nonnegative: All inputs that would yield a prefix with negative effect cannot be processed (i.e., a letter from Σ_r when the stack is empty).

The automaton for **ProperStep** works similarly, but we first require to process a letter from Σ_c , which puts a single B on the stack. From there onward, the automaton also keeps track of the effect of the prefix processed thus far using the stack height, as long as the effect does not reach zero again:




Figure 2: The ω -VPA recognizing **Step** and **ProperStep**. A transition (q, X, a, q', γ) is depicted by an edge from q to q' labeled by $a, X \mid \gamma$. Here, c , r , and s stand for arbitrary letters from Σ_c , Σ_r , and Σ_s , respectively.

All inputs that would yield a prefix with effect zero cannot be processed (i.e., a letter from Σ_r when the topmost stack symbol is B).

Next, let us consider $\text{MatchedCallStep}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle$. We first construct two auxiliary ω -VPA and then use closure properties to obtain an ω -VPA recognizing the prophecy. To this end, first consider the language L_1 of words of the form $\text{mrg}(t, \rho, \tau_0 \tau_1 \tau_2 \dots)$ satisfying the following properties (cp. the definition of $\text{MatchedCallStep}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle$):

- $t \in L(\mathfrak{T}_u)$,
- $\rho = v_0 v_1 v_2 \dots$ is a path of \mathfrak{T} ,
- $\tau_0 \tau_1 \tau_2 \dots$ is a sequence of transitions of \mathcal{A} that induces a fresh run $c_0 \tau_0 c_1 \tau_1 \dots$ of \mathcal{A} on $\text{mrg}(t, \lambda(\rho))$ (which is uniquely determined by $\tau_0 \tau_1 \tau_2 \dots$),
- $v_0 = v_\tau \in \text{Succ}(v)$, and $\tau_0 = \tau$, and τ is a call-transition,
- n is the smallest number such $\text{sh}(c_0) = \text{sh}(c_{n+1})$ (which we require to be well-defined),
- $v_n = v_\eta$ and $\tau_n = \eta$ (note, η is a return-transition), and
- r is accepting.

That is, the language checks all but the last requirement in the definition of

$$\text{MatchedCallStep}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle.$$

The last one will be taken care of later.

One can construct an ω -VPA recognizing L_1 using the product of the states of \mathcal{A} (to simulate the run r induced by $\tau_0 \tau_1 \tau_2 \dots$) and two copies of the vertices of \mathfrak{T} (to check that t is in $L(\mathfrak{T}_u)$ and to guess the path ρ), and using the same stack alphabet as \mathcal{A} (again, to simulate r). Furthermore, it checks all the initial constraints on v_0 and τ_0 using the state space and uses the stack to ensure that the first time the stack height $\text{sh}(c_0)$ is reached, the vertex just processed in ρ is v_η and that the transition used to process it is η . This requires an additional component of the states to keep track of whether that stack height has been reached already or not. The accepting states are inherited from \mathcal{A} to ensure that the run r of \mathcal{A} induced by $\tau_0 \tau_1 \tau_2 \dots$ is accepting, and that stack height $\text{sh}(c_0)$ is reached again. Finally, the partition is the one induced by the projected one of \mathcal{A} , i.e., it depends only on the first component. We leave the slightly tedious, but straightforward details to the reader.

Instead, we focus on the last requirement, i.e., that there is no other accepting run r' starting in c_0 and processing $\text{mrg}(t, \lambda(\rho'))$ for some path ρ' starting in some $v'_0 \in \text{Succ}(v)$ such that $\text{FirstAcc}(r') < \text{FirstAcc}(r)$. To this end, consider the language L_2 of words of the form $\text{mrg}(t, \rho, \tau_0 \tau_1 \tau_2 \dots, \rho', \tau'_0 \tau'_1 \tau'_2 \dots)$ satisfying the following properties:

- $\rho = v_0 v_1 v_2 \dots$ is a path of \mathfrak{T} ,
- $\rho' = v'_0 v'_1 v'_2 \dots$ is a path of \mathfrak{T} starting in some $v'_0 \in \text{Succ}(v)$,

- $\tau_0\tau_1\tau_2$ is a sequence of transitions of \mathcal{A} that induces a (not necessarily accepting) fresh run $c_0\tau_0c_1\tau_1\cdots$ of \mathcal{A} on $\text{mrg}(t, \lambda(\rho))$ (which is uniquely determined by $\tau_0\tau_1\tau_2\cdots$),
- $\tau'_0\tau'_1\tau'_2$ is a sequence of transitions of \mathcal{A} that induces an accepting fresh run $c_0\tau'_0c'_1\tau'_1\cdots$ of \mathcal{A} on $\text{mrg}(t, \lambda(\rho'))$ (which is uniquely determined by $\tau'_0\tau'_1\tau'_2\cdots$), and
- $\text{FirstAcc}(r') < \text{FirstAcc}(r)$.

An ω -VPA recognizing L_2 can be constructed using the product of two copies of the state space of \mathcal{A} (to simulate the runs r and r') and two copies of the set of vertices of \mathfrak{T} (to check that ρ and ρ' are indeed paths of \mathfrak{T}), and using the product of two copies of the stack alphabet of \mathcal{A} (to simulate the runs r and r'). Here, we rely on the fact that \mathcal{A} is controlled by the letters of t only, i.e., r and r' always have the same stack height. Again, the automaton checks the initial constraint on v'_0 using its state space as well as an additional component of the state space to reject when $\text{FirstAcc}(r') \geq \text{FirstAcc}(r)$. The accepting states are inherited from the second copy of the states of \mathcal{A} to ensure that r' is accepting. Again, the partition is the one induced by the projected one of \mathcal{A} , i.e., it depends only on the first component. And again, we leave the details to the reader.

Now, when projecting away the last two components of L_2 and then complementing the resulting ω -VPA we have eliminated all $\text{mrg}(t, \rho, \tau_0\tau_1\tau_2\cdots)$ where the run r induced by $\tau_0\tau_1\tau_2\cdots$ is not among the ones reaching F as soon as possible. Call the resulting language L'_2 .

Hence, $\text{MatchedCallStep}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle$ is the language obtained by taking the intersection of L_1 and L'_2 and then projecting away the last two components (representing ρ and $\tau_0\tau_1\tau_2\cdots$). Note that both projections we have used here are actually renamings. Hence, as ω -VPA are closed under, complementation, intersection, and renaming, we obtain an ω -VPA for $\text{MatchedCallStep}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle$, which can be shown to have at most exponential size in $|\mathcal{A}|$ and $|\mathfrak{T}|$, as the only “expensive” operation is the complementation.

Using a similar approach, one can construct ω -VPA of exponential size (in $|\mathcal{A}|$ and $|\mathfrak{T}|$) recognizing the prophecies $\text{UnmatchedCallStep}\langle u, v, v_\tau, \tau \rangle$, $\text{SkipStep}\langle u, v, v_\tau, \tau \rangle$, and $\text{UnmatchedReturnStep}\langle u, v, v_\tau, \tau \rangle$. Also, the constructions can be adapted for $\text{SkipHump}\langle u, v, v_\tau, v_\eta, \tau, \eta \rangle$ and $\text{CallHump}\langle u, v, v_\eta, v_\tau, v_\vartheta, \tau, \eta, \vartheta \rangle$: here, we are only interested in finite runs r and r' induced by the sequences $\tau_0\tau_1\tau_2\cdots$ and $\tau'_0\tau'_1\tau'_2\cdots$ until the first position where the stack height is strictly smaller than that of c_0 . Note that this position only depends on t . Hence, we again obtain ω -VPA of exponential size in $|\mathcal{A}|$ and $|\mathfrak{T}|$.

Finally, the prophecy $\text{ReturnHump}\langle u, v_\eta, \eta \rangle$ only refers to the first letter of the input t and is therefore trivially recognized by an ω -VPA with two states. \square

Lemma 3. *The winning condition $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$ is recognized by an ω -VPA of triply-exponential size (in $|\mathcal{A}|$ and $|\mathfrak{T}|$).*

Proof. In the following, all quantities (e.g., automata sizes) are measured in $|\mathcal{A}|$ and $|\mathfrak{T}|$.

There is a polynomial number of prophecies in \mathcal{P} . Due to lemma 2, for every $P \in \mathcal{P}$, there is an exponentially-sized ω -VPA \mathcal{A}_P recognizing P , which uses the input alphabet Σ and the projected partition of \mathcal{A} . The alphabet of \mathcal{A}_P can be extended to the input alphabet $(V \times 2^{\{x_P | P \in \mathcal{P}\}}) \times V$ so that an input letter $((v, S), v')$ for \mathcal{A}'_P is projected to $\lambda(v)$. The resulting ω -VPA \mathcal{A}'_P has the same size as \mathcal{A}_P . Similarly, \mathcal{A} can be extended to the input alphabet $(V \times 2^{\{x_P | P \in \mathcal{P}\}}) \times V$, obtaining the ω -VPA \mathcal{A}' . All these extended automata use the same partition that only depends on the vertex in the first component (picked by Falsifier).

These \mathcal{A}'_P can be combined into an alternating ω -VPA $\mathcal{A}_{\text{prem}}$ (see [5] for formal definitions) of exponential size recognizing

$$\forall i \in \mathbb{N}. \forall P \in \mathcal{P}. x_P \in \text{pr}_{\mathcal{P}}(\alpha(i)) \leftrightarrow \lambda(\text{pr}_V(\alpha(i)\alpha(i+1)\alpha(i+2)\cdots)) \in P.$$

Intuitively, the alternating automaton reads, for each input letter it processes, which prophecies P are currently predicted to be true (using the component $2^{\{x_P | P \in \mathcal{P}\}}$ of the input alphabet) and then spawns a fresh copy of each \mathcal{A}'_P so that P is predicted to be true and spawns a copy of the dual automaton of each \mathcal{A}'_P so that P is predicted to be false. The dual automaton of \mathcal{A}'_P accepts the complement language of $L(\mathcal{A}'_P)$ w.r.t. the alphabet $(V \times 2^{\{x_P | P \in \mathcal{P}\}}) \times V$, but again ignores all inputs but the first vertex (picked by Falsifier). Hence, it checks that the prophecy P is indeed violated. One needs to take care that each

copy spawned at stack height h treats returns that decrease the stack height below h as returns on the empty stack. We leave the straightforward details to the reader.

Now, we complement $\mathcal{A}_{\text{prem}}$ by dualizing it (without size increase) and take the disjunction with \mathcal{A}' , and a component that checks that if the sequence of vertices picked by Falsifier is a path in \mathfrak{T} , then the sequence of vertices picked by Verifier is a path in \mathfrak{T} as well. Altogether, this yields an exponentially sized alternating ω -VPA recognizing $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. This can be turned into a triply-exponential equivalent ω -VPA [5] recognizing the winning condition. \square

8.2 Soundness

In this subsection, we prove that if Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ then $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$. The proof is analogous to the one for game-based model-checking of $\forall^*\exists^*$ HyperLTL model-checking [3] and independent of the prophecies.

Proof. Assume Verifier has a winning strategy for $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$. To show $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$, we construct for every $t \in L(\mathfrak{T})$ a $t' \in L(\mathfrak{T})$ such that \mathcal{A} accepts $\text{mrg}(t, t')$.

To this end, fix such a t and a path ρ of \mathfrak{T} such that $\lambda(\rho) = t$. Then, consider the outcome (α, β) of $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ where Verifier plays according to her winning strategy and where Falsifier in each round i picks the vertex $\rho(i)$ as well as all prophecies in \mathcal{P} that $t(i)t(i+1)t(i+2)\dots$ is in. This outcome satisfies

$$\forall i \in \mathbb{N}. \forall P \in \mathcal{P}. x_P \in \text{pr}_{\mathcal{P}}(\alpha(i)) \leftrightarrow \lambda(\text{pr}_V(\alpha(i)\alpha(i+1)\alpha(i+2)\dots)) \in P$$

by construction. Hence, as Verifier played according to her winning strategy, which implies that the outcome is winning for her, we can conclude

$$\text{mrg}(\lambda(\text{pr}_V(\alpha)), \lambda(\beta)) \in L(\mathcal{A}).$$

Hence, picking $t' = \lambda(\beta)$ yields the desired result. \square

8.3 Completeness

In this subsection, we prove that if $\mathfrak{T} \models \forall\pi. \exists\pi'. \mathcal{A}$ then Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$. To this end, we first define a strategy for Verifier (definition 3), and then show that the strategy is winning (lemmas 4 and 5).

During a play of $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$, Falsifier picks in each round i a vertex $\rho(i)$ of \mathfrak{T} and a set $P(i) \subseteq \mathcal{P}$ of prophecy variables and Verifier then has to pick a vertex $\rho'(i)$. We define the strategy for her inductively over the play length i . To so, we inductively compute a subset $M(i)$ of $P(i)$ and a run prefix $r = c(0)\tau(0)\dots\tau(i-1)c(i)$ processing the traces t and t' of the two sequences $\rho(0)\dots\rho(i-1)$ and $\rho'(0)\dots\rho'(i-1)$ picked by the players thus far (note that $\rho(i)$ is not yet processed, as Verifier has not yet picked $\rho'(i)$). Also note that these sequences are not necessarily path prefixes in \mathfrak{T} , as the rules of the game only require the players to pick vertices.

The $M(i)$ and the run prefix r are used to determine Verifier's move: If $M(i)$ is nonempty (we say that Verifier has used the "NONEMPTY-case" at position i), then we pick a prophecy *choice*(i) whose prophecy variable is in $M(i)$. This choice depends on r . The parameters of *choice*(i) then determine the move $\rho'(i)$ the strategy outputs, as well as how to extend r to process $(\rho(i), \rho'(i))$. If $M(i)$ is empty, then we let Verifier pick an arbitrary $\rho'(i)$. We will later prove that this case never occurs as long as Falsifier makes his predictions correctly. If he does not, Verifier wins by definition of $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. So, it then remains to show that Verifier wins all outcomes of plays where she has used the NONEMPTY-case at all positions.

For convenience, we say that \bullet is the predecessor of all vertices in V_I , i.e., we let $\text{Succ}(\bullet) = V_I$. This notation is used for round $i = 0$ to instantiate the parameter v of the prophecies. Note that this parameter represents the vertex $\rho'(i-1)$ that Verifier's sequence of moves is currently at, which is undefined for $i = 0$. However, the parameter v in a prophecy is only used to refer to its successors, which for \bullet yields exactly the initial vertices, which are those from which Verifier should select $\rho'(0)$.

Finally, whether a letter $(a, a') \in \Sigma^*$ is a call, return, or skip in \mathcal{A} depends only on a . Thus, we say the type of a is "call", "return", or "skip" and write $\text{type}(a) \in \{\text{call}, \text{return}, \text{skip}\}$.

We are now ready to define the strategy, the $M(i)$, the *choice*(i), and the run prefix r .

Definition 3 (Strategy definition). Throughout the definition, we assume w.l.o.g. that \mathcal{A} is complete, i.e., in each configuration, every input letter can be processed. This can always be achieved by adding a non-accepting sink state and routing all missing transitions to it. This prevents us having to deal with words that cannot be processed by \mathcal{A} .

We begin our inductive definition in round $i = 0$, i.e., Falsifier has picked a vertex $\rho(0)$ and a set $P(0)$ of prophecy variables. Hence, we have $t(0) = \lambda(\rho(0))$. We define $c(0) = (q_I, \perp)$, i.e., the run prefix r consists only of the initial configuration, which does indeed process $\text{mrg}(\rho(0) \cdots \rho(i-1), \rho'(0) \cdots \rho'(i-1))$, which is empty for $i = 0$.

Note that the first position of every run is a step, because the stack is empty. We now consider several cases depending on whether Falsifier predicts that it is a proper step and on the type of $t(0)$: If $x_{\text{ProperStep}} \notin P(0)$ and $\text{type}(t(0)) = \text{call}$, then we define

$$M(0) = \{x_{\text{MatchedCallStep}(\rho(0), \bullet, v_\tau, v_\eta, \tau, \eta)} \in P(0) \mid v_\tau, v_\eta \in V, \tau, \eta \in \Delta\}.$$

If $x_{\text{ProperStep}} \in P(0)$ and $\text{type}(t(0)) = \text{call}$, then we define

$$M(0) = \{x_{\text{UnmatchedCallStep}(\rho(0), \bullet, v_\tau, \tau)} \in P(0) \mid v_\tau \in V, \tau \in \Delta\}.$$

If $\text{type}(t(0)) = \text{skip}$, then we define

$$M(0) = \{x_{\text{SkipStep}(\rho(0), \bullet, v_\tau, \tau)} \in P(0) \mid v_\tau \in V, \tau \in \Delta\}.$$

Lastly, if $\text{type}(t(0)) = \text{return}$, then we define

$$M(0) = \{x_{\text{UnmatchedReturnStep}(\rho(0), \bullet, v_\tau, \tau)} \in P(0) \mid v_\tau \in V, \tau \in \Delta\}.$$

This covers all possible cases.

If $M(0)$ is nonempty, we pick $\text{choice}(0)$ to be an arbitrary prophecy from $M(0)$. In all four cases above, we define $\rho'(0)$ (i.e., the move selected by the strategy we define) as the parameter v_τ of $\text{choice}(0)$ and extend r by the parameter τ of $\text{choice}(0)$ and the uniquely determined configuration $c(1)$ reached by applying τ in $c(0)$. This is well-defined by the definition of the prophecies. If $M(0)$ is empty, let $\rho'(0)$ be any $v \in V_I$ and let $\tau(0)$ be any transition of \mathcal{A} processing $(\lambda(\rho(0)), \lambda(\rho'(0)))$ that is enabled in $c(0)$.

Now, we consider a round $i > 0$, i.e., Falsifier has picked a sequence $\rho(0) \cdots \rho(i)$ of vertices and a sequence $P(0) \cdots P(i)$ of sets of prophecy variables while Verifier has picked a sequence $\rho'(0) \cdots \rho'(i-1)$ of vertices and we need to define her move $\rho'(i)$. Furthermore, we have defined subsets $M(j)$ of $P(j)$ for every $j < i$ and a run prefix r processing the traces t and t' of $\rho(0) \cdots \rho(i-1)$ and $\rho'(0) \cdots \rho'(i-1)$.

If there is some $j < i$ such that $M(j)$ is empty, then we let $M(i) = \emptyset$, $\rho'(i)$ be any $v \in \text{Succ}(\rho'(i-1))$, and let $\tau(i)$ be any transition of \mathcal{A} processing $(\lambda(\rho(i)), \lambda(\rho'(i)))$ enabled in the last configuration of the run prefix r constructed thus far. We then extend r by $\tau(i)$ and the unique configuration reached by applying it in $c(i)$. Otherwise, we proceed as follows.

First let us consider the case where $x_{\text{Step}} \in P(i)$ or the last configuration $c(i)$ of r has an empty stack. If additionally $x_{\text{ProperStep}} \notin P(i)$ and $\text{type}(t(i)) = \text{call}$, then we define

$$M(i) = \{x_{\text{MatchedCallStep}(\rho(i), \rho'(i-1), v_\tau, v_\eta, \tau, \eta)} \in P(i) \mid v_\tau, v_\eta \in V, \tau, \eta \in \Delta\}.$$

If additionally $x_{\text{ProperStep}} \in P(i)$ and $\text{type}(t(i)) = \text{call}$, then we define

$$M(i) = \{x_{\text{UnmatchedCallStep}(\rho(i), \rho'(i-1), v_\tau, \tau)} \in P(i) \mid v_\tau \in V, \tau \in \Delta\}.$$

If additionally if $\text{type}(t(i)) = \text{skip}$, then we define

$$M(i) = \{x_{\text{SkipStep}(\rho(i), \rho'(i-1), v_\tau, \tau)} \in P(i) \mid v_\tau \in V, \tau \in \Delta\}.$$

Lastly, if additionally $\text{type}(t(i)) = \text{return}$, then we define

$$M(i) = \{x_{\text{UnmatchedReturnStep}(\rho(i), \rho'(i-1), v_\tau, \tau)} \in P(i) \mid v_\tau \in V, \tau \in \Delta\}.$$

This again covers all possible subcases.

On the other hand, if $x_{\text{Step}} \notin P(i)$ and the stack of $c(i)$ is not empty, then we are interested in the maximal $j < i$ where a call-transition is taken in r such that $\text{sh}(c(j)) + 1 = \text{sh}(c(i))$. For example, in

fig. 1, if i is position 3, then j is position 2; if i is position 5, then j is also position 2; and if i is position 6, then j is position 5. Then $choice(j)$ must be of the form

$$\text{CallHump}\langle\rho(j),\rho'(j-1),\rho'(j),v_\eta,v_\vartheta,\tau(j),\eta,\vartheta\rangle$$

or

$$\text{MatchedCallStep}\langle\rho(j),\rho'(j-1),\rho'(j),v_\eta,\tau(j),\eta\rangle$$

for some $v_\eta, v_\vartheta \in V$ and some return-transitions η, ϑ .

If the type of $t(i)$ is a call, we are interested in the prophecies that indicate the possibility for Verifier to do the following:

- We take some call-transition τ (processing $(t(i), \lambda(v_\tau)) \in \Sigma^2$) by moving to some vertex $v_\tau \in \text{Succ}(\rho'(i-1))$.
- Say m transitions later, take a return-transition η' (processing $(t(i+m), \lambda(v_{\eta'})) \in \Sigma^2$) that will return the call done by τ by moving to some vertex $v_{\eta'}$.
- Say $n-m$ additional transitions later, take a return-transition η (processing $(t(i+n), \lambda(v_\eta)) \in \Sigma^2$) by moving to v_η as fixed by $choice(j)$.

Thus, if $x_{\text{Step}} \notin P(i)$, $\text{sh}(c(i)) > 0$, and $\text{type}(t(i)) = \text{call}$, we define

$$M(i) = \{x_{\text{CallHump}\langle\rho(i),\rho'(i-1),v_\tau,v_{\eta'},v_\eta,\tau,\eta',\eta\rangle} \in P(i) \mid v_\tau, v_{\eta'} \in V, \tau, \eta' \in \Delta, \text{ and } v_\eta \text{ and } \eta \text{ as in } choice(j)\}. \quad (1)$$

If $x_{\text{Step}} \notin P(i)$, $\text{sh}(c(i)) > 0$, and $\text{type}(t(i)) = \text{skip}$, then Verifier moves towards the point where η is to be taken. So, we define

$$M(i) = \{x_{\text{SkipHump}\langle\rho(i),\rho'(i-1),v_\tau,v_\eta,\tau,\eta\rangle} \in P(i) \mid v_\tau \in V, \tau \in \Delta, \text{ and } v_\eta \text{ and } \eta \text{ as in } choice(j)\}. \quad (2)$$

Lastly, if $x_{\text{Step}} \notin P(i)$, $\text{sh}(c(i)) > 0$, and $\text{type}(t(i)) = \text{return}$, then Verifier has reached the point where η is to be taken. So, we define the singleton set

$$M(i) = \{x_{\text{ReturnHump}\langle\rho(i),v_\eta,\eta\rangle} \in P(i) \text{ where } v_\eta \text{ and } \eta \text{ as in } choice(j)\}. \quad (3)$$

Again, this covers all subcases.

Using these definitions, if $M(i)$ is nonempty, we pick $choice(i)$ arbitrarily from $M(i)$. We define the move $\rho'(i)$ of Verifier and the next transition $\tau(i)$ for r as uniquely determined by $choice(i)$: in the first two cases (**CallHump** or **SkipHump**), we select the parameters v_τ and τ of $choice(i)$, in the latter case (**ReturnHump**), we select the parameters v_η and η of $choice(i)$.

If $M(i)$ is empty, let $M(i) = \emptyset$, $\rho'(i)$ be any $v \in \text{Succ}(\rho'(i-1))$, and let $\tau(i)$ be any transition of \mathcal{A} processing $(\lambda(\rho(i)), \lambda(\rho'(i)))$ that is enabled in $c(i)$. In both cases, we extend r by $\tau(i)$ and the unique configuration reached by applying it in $c(i)$. In both cases, this is well-defined.

This concludes the definition of the strategy for Verifier.

We now show that this strategy is winning, i.e., that each outcome of $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ that is consistent with the strategy is in $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. Here, we argue about each outcome in isolation. Thus, let us fix some notation.

Let $\text{mrg}(\alpha, \beta)$ be a fixed such outcome. Let $\rho = \text{pr}_V(\alpha)$ be the sequence of vertices picked by Falsifier and let $\rho' = \beta$ be the sequence of vertices picked by Verifier. Note that this is by construction of the strategy a path of \mathfrak{T} . Further, let $t = \lambda(\rho)$ and $t' = \lambda(\rho')$. Finally, let $P(0)P(1)P(2) \cdots = \text{pr}_{\mathcal{P}}(\alpha)$ be the sequence of sets of prophecy variables picked by Falsifier.

As $\text{mrg}(\alpha, \beta)$ is an outcome consistent with our strategy, we have defined a sequence $M(0)M(1)M(2) \cdots$ with $M(i) \subseteq P(i)$ for all i , $choice(i)$ for all i with nonempty $M(i)$, as well as a run $r = c(0)\tau(0)c(1)\tau(0) \cdots$ processing $\text{mrg}(t, t')$.

Recall that we want to show that $\text{mrg}(\alpha, \beta)$ is in $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. There are some trivial cases: If the sequence ρ picked by Falsifier is not a path of \mathfrak{T} , then $\text{mrg}(\alpha, \beta)$ is indeed in $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. Similarly, if Falsifier makes a wrong prediction, i.e., if α does not satisfy

$$\forall i \in \mathbb{N}. \forall P \in \mathcal{P}. x_P \in \text{pr}_{\mathcal{P}}(\alpha(i)) \leftrightarrow \lambda(\text{pr}_V(\alpha(i)\alpha(i+1)\alpha(i+2)\cdots)) \in P,$$

then $\text{mrg}(\alpha, \beta)$ is also in $L(\mathcal{A}, \mathfrak{T}, \mathcal{P})$. Hence, we can focus on those outcomes in which Falsifier picks a path and where all of his predictions are correct.

Assumption 1. *Let $\text{mrg}(\alpha, \beta)$ be an outcome of $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ and let ρ be defined as above. We assume that ρ is a path of \mathfrak{T} and that α satisfies*

$$\forall i \in \mathbb{N}. \forall P \in \mathcal{P}. x_P \in \text{pr}_{\mathcal{P}}(\alpha(i)) \leftrightarrow \lambda(\text{pr}_V(\alpha(i)\alpha(i+1)\alpha(i+2)\cdots)) \in P.$$

Under this assumption, we show that Verifier has used the NONEMPTY-case at each position. This is a crucial step in our proof that our strategy is winning, as it implies that the strategy always makes purposeful moves.

Before we begin, we need to formally define infixes of runs and the concatenation of runs. Let $r = c_0\tau_0c_1\tau_1\cdots$ be a run. Then $r[m, n]$ denotes $c_m\tau_m\cdots\tau_n c_{n+1}$. The concatenation $r \cdot r'$ of two runs r, r' is defined if $r = c_0\tau_0\cdots\tau_m c_{m+1}$ is a finite run and $r' = c'_0\tau'_0\cdots$ is a finite or infinite run with $c_{m+1} = c'_0$. The result $r \cdot r'$ is defined as expected.

Furthermore, let c be a configuration of \mathcal{A} , $v \in V$ a vertex of \mathfrak{T} , and $t \in \Sigma^\omega$. We define

$$\text{opt}\langle c, v, t \rangle = \min_r \text{FirstAcc}(r),$$

where r ranges over accepting runs of \mathcal{A} starting with configuration c and processing $\text{mrg}(t, t')$, where $t' \in L(\mathfrak{T}_{\text{Succ}(v)})$. If there is no such accepting run, then $\text{opt}\langle c, v, t \rangle = \infty$.

Lemma 4. *Let $\text{mrg}(\alpha, \beta)$ be an outcome of $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ that is consistent with the strategy constructed in definition 3 and that satisfies Assumption 1. Then, Verifier has used the NONEMPTY-case at every position.*

Proof. In the following, we write $t[i, \infty)$ for the suffix of t starting at position i (which is included) and use all the notation (ρ, ρ', t, t' , the $P(i)$, the $M(i)$, the $\text{choice}(i)$, and r) introduced above.

To begin with, we note that due to Assumption 1, Falsifier picks a path of \mathfrak{T} , i.e., $\text{pr}_V(\alpha)$ is a path of \mathfrak{T} , which implies $t \in L(\mathfrak{T})$. Moreover, Assumption 1 guarantees that, for all $i \in \mathbb{N}$ and all $P \in \mathcal{P}$, $t[i, \infty) \in P$ if and only if $x_P \in P(i)$, i.e., the prophecies are truthful. This is a necessary precondition to prove that Verifier has always used the NONEMPTY-case, i.e., $M(i)$ is nonempty for each $i \geq 0$, because $M(i)$ is a subset of $P(i)$. So necessarily, $P(i)$ must be guaranteed to be correct (otherwise, Falsifier could just pick $P(i) = \emptyset$). Note that the prophecies being truthful also implies that we can use them to check whether a position of r is a step or a proper step. We will make use of that fact throughout the proof.

For each $i \geq 0$, we show inductively that $M(i)$ is nonempty. Our induction hypothesis is that for each $j < i$, $M(j)$ is nonempty.

Case $i = 0$. Since $\mathfrak{T} \models \varphi$ and $t \in L(\mathfrak{T})$, there exists some $\tilde{t} \in L(\mathfrak{T})$ such that $\text{mrg}(t, \tilde{t}) \in L(\mathcal{A})$. Thus, there exists a path $\tilde{\rho}$ that starts from some $v_\tau \in V_I$ and an accepting run $\tilde{r} = c(0) \cdots$ on $\text{mrg}(t, \lambda(\tilde{\rho}))$, say, with first transition τ , and with $\text{FirstAcc}(\tilde{r}) = \text{opt}\langle (q_I, \perp), \bullet, t \rangle$. Recall that $c(0) = (q_I, \perp)$ and 0 is a step because the stack is empty. This yields

$$t \in \begin{cases} \text{MatchedCallStep}\langle \rho(0), \bullet, v_\tau, v_\eta, \tau, \eta \rangle & \text{if } x_{\text{ProperStep}} \notin P(0) \text{ and } \text{type}(t(0)) = \text{call} \\ \text{UnmatchedCallStep}\langle \rho(0), \bullet, v_\tau, \tau \rangle & \text{if } x_{\text{ProperStep}} \in P(0) \text{ and } \text{type}(t(0)) = \text{call} \\ \text{SkipStep}\langle \rho(0), \bullet, v_\tau, \tau \rangle & \text{if } \text{type}(t(0)) = \text{skip} \\ \text{UnmatchedReturnStep}\langle \rho(0), \bullet, v_\tau, \tau \rangle & \text{if } \text{type}(t(0)) = \text{return} \end{cases}$$

where v_η (in $\tilde{\rho}$) and η (in \tilde{r}) occur at the unique position in question w.r.t. the definition of

$$\text{MatchedCallStep}\langle \rho(0), \bullet, v_\tau, v_\eta, \tau, \eta \rangle.$$

That is, a matched call occurs, τ should be used to process the call, and η should be used to process the matching return that occurs n transitions later according to the definition. Hence, the prophecy variable

for some “Step”-prophecy is in $P(0)$. By definition of $M(0)$, this variable is also selected to be in $M(0)$. We conclude that $M(0)$ is nonempty.

Case $i > 0$. If i is a step, we show that there exists a path $\hat{\rho}$ and an accepting run \hat{r} on $\text{mrg}(t[i, \infty), \lambda(\hat{\rho}))$ with $\text{FirstAcc}(\hat{r}) = \text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle$ where $\hat{\rho}$ starts from some $v_\tau \in \text{Succ}(\rho'(i-1))$. By definition of the “Step”-prophecies, this shows that $t[i, \infty)$ is either in the `MatchedCallStep`-, or `UnmatchedCallStep`-, or `SkipStep`-, or `UnmatchedReturnStep`-prophecy, which is parameterized by the relevant vertices and transitions obtained from $\hat{\rho}$ and \hat{r} . Which type of “Step”-prophecy it is depends on the type of $t(i)$ and whether $x_{\text{ProperStep}} \in P(i)$. Hence, the prophecy variable for some “Step”-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We can then conclude that $M(i)$ is nonempty which we need to show.

To obtain $\hat{\rho}$ and \hat{r} as above, we make a further case distinction on whether $i-1$ is a step. We first assume that $i-1$ is a step. By induction hypothesis, $M(i-1)$ is nonempty. Thus, $\text{choice}(i-1)$ is of the form

$$\begin{aligned} & \text{MatchedCallStep}\langle \rho(i-1), \rho'(i-2), \rho'(i-1), v_\eta, \tau(i-1), \eta \rangle \text{ with } v_\eta \in V, \eta \in \Delta, \text{ or} \\ & \text{UnmatchedCallStep}\langle \rho(i-1), \rho'(i-2), \rho'(i-1), \tau(i-1) \rangle, \text{ or} \\ & \text{SkipStep}\langle \rho(i-1), \rho'(i-2), \rho'(i-1), \tau(i-1) \rangle, \text{ or} \\ & \text{UnmatchedReturnStep}\langle \rho(i-1), \rho'(i-2), \rho'(i-1), \tau(i-1) \rangle, \end{aligned}$$

depending on the type of $t(i-1)$ and whether $x_{\text{ProperStep}} \in P(i-1)$. Here, and in the following, for the special case of $i=1$, $i-2$ is negative and we use $\rho'(-1) = \bullet$.

By definition of the “Step”-prophecies, this implies that there is some path $\tilde{\rho} = \rho'(i-1) \cdots$ and a run $\tilde{r} = c(i-1)\tau(i-1) \cdots$ on $\text{mrg}(t[i-1, \infty), \lambda(\tilde{\rho}))$ that is accepting. Clearly, $\tilde{r}[1, \infty)$ is an accepting run on $\text{mrg}(t[i, \infty), \lambda(\tilde{\rho}[1, \infty)))$ which is a necessary criterion for a prophecy variable for some “Step”-prophecy to be in $P(i)$ (and hence in $M(i)$). However, $\tilde{\rho}[1, \infty)$ and $\tilde{r}[1, \infty)$ is simply a combination of a path and run which witnesses that Verifier can continue her path and continue building the run in a way that allows for acceptance. Recall, as explained in the description of the prophecies, for Büchi acceptance it is actually necessary to not only have the possibility to be accepting, actual progress needs to be made towards visiting an accepting state. Thus, instead of $\tilde{\rho}[1, \infty)$ and $\tilde{r}[1, \infty)$, we consider an *optimal* combination of such a path and accepting run in terms of visiting an accepting state as soon as possible: There is a path $\hat{\rho}$ that starts from some $v_\tau \in \text{Succ}(\rho'(i-1))$ and a run $\hat{r} = c(i) \cdots$ on $\text{mrg}(t[i, \infty), \lambda(\hat{\rho}))$, say, with first transition τ , and $\text{FirstAcc}(\hat{r}) = \text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle$. This yields

$$t[i, \infty) \in \begin{cases} \text{MatchedCallStep}\langle \rho(i), \rho'(i-1), v_\tau, v_\eta, \tau, \eta \rangle & \text{if } x_{\text{ProperStep}} \notin P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ \text{UnmatchedCallStep}\langle \rho(i), \rho'(i-1), v_\tau, \tau \rangle & \text{if } x_{\text{ProperStep}} \in P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ \text{SkipStep}\langle \rho(i), \rho'(i-1), v_\tau, \tau \rangle & \text{if } \text{type}(t(i)) = \text{skip} \\ \text{UnmatchedReturnStep}\langle \rho(i), v_\tau, \tau \rangle & \text{if } \text{type}(t(i)) = \text{return} \end{cases}$$

where v_η (in $\hat{\rho}$) and η (in \hat{r}) occur at the unique position in question w.r.t. the definition of

$$\text{MatchedCallStep}\langle \rho(i), \rho'(i-1), v_\tau, v_\eta, \tau, \eta \rangle.$$

That is, a matched call occurs, τ should be used to process the call, and η should be used to process the matching return that occurs n transitions later according to the definition. Hence, the prophecy variable for some “Step”-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We conclude that $M(i)$ is nonempty.

We now consider the case where $i-1$ is not a step. Since i is a step, this implies that the type of $t(i-1)$ is necessarily a return. We are interested in the position where the matching call is made. That is, the maximal $j < i-1$ where a call-transition is taken such that $\text{sh}(c(j)) + 1 = \text{sh}(c(i-1))$. We have that $\text{sh}(c(i)) = \text{sh}(c(j))$, and the pair $(j, i-1)$ of positions is a matching call-return pair. Since i is a step, j is also a step.

In fig. 1, such a situation is depicted choosing i as position 8, then the pair $(2, 7)$ of positions is the matching call-return pair.

In j a matched call is made, hence $x_{\text{ProperStep}} \notin P(j)$. By induction hypothesis $M(j)$ is nonempty. Since $x_{\text{ProperStep}} \notin P(j)$ and $\text{type}(t(j)) = \text{call}$, we obtain that $\text{choice}(j)$ is of the form

$$\text{MatchedCallStep}\langle \rho(j), \rho'(j-1), \rho'(j), v_\eta, \tau(j), \eta \rangle \text{ with } v_\eta \in V \text{ and } \eta \in \Delta.$$

By definition of $\text{MatchedCallStep}\langle\rho(j), \rho'(j-1), \rho'(j), v_\eta, \tau(j), \eta\rangle$, this implies there exists some path $\tilde{\rho} = v_j v_{j+1} \cdots$ with $v_j = \rho'(j)$ and $v_i = v_\eta$ as well as an accepting run $\tilde{r} = c_j \tau_j \cdots$ on $\text{mrg}(t[j, \infty], \lambda(\tilde{\rho}))$ with $c_j = c(j)$, $\tau_j = \tau(j)$ and $\tau_i = \eta$. We now conclude that $M(i)$ is nonempty using suffixes of $\tilde{\rho}$ and \tilde{r} : By induction hypothesis, $M(i-1)$ is nonempty. By definition of $M(i-1)$, we obtain that $\rho'(i-1) = v_\eta$ and $\tau(i-1) = \eta$ because they are determined by $\text{choice}(j)$. Consequently, $c(i) = c_i$. We split $\tilde{\rho}$ into $\rho'(j) v_{j+1} \cdots v_{i-1} v_\eta$ and its suffix $\tilde{\rho}'$. We split \tilde{r} into $c(j) \tau(j) c_{j+1} \cdots c_{i-1} \eta$ and its suffix $\tilde{r}' = c(i) \cdots$. The run \tilde{r}' on $\text{mrg}(t[i, \infty], \lambda(\tilde{\rho}'))$ is accepting. As explained before (in the case where $i-1$ is assumed to be a step), the path $\tilde{\rho}'$ and run \tilde{r}' are a combination that witnesses that Verifier can continue in a way that will be accepting, but we are looking to make the most progress towards accepting. Hence, we take a combination of path and accepting run which are optimal in that sense, i.e., where an accepting state is visited as soon as possible: There exists a path $\hat{\rho}$ that starts from some $v_\tau \in \text{Succ}(v_\eta)$ (recall $v_\eta = \rho'(i-1)$) and an accepting run $\hat{r} = c(i) \cdots$, say with first transition τ , which is optimal, i.e., $\text{FirstAcc}(\hat{r}) = \text{opt}\langle c(i), \rho'(i-1), t[i, \infty] \rangle$. This yields

$$t[i, \infty] \in \begin{cases} \text{MatchedCallStep}\langle\rho(i), \rho'(i-1), v_\tau, v_\eta, \tau, \eta\rangle & \text{if } x_{\text{ProperStep}} \notin P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ \text{UnmatchedCallStep}\langle\rho(i), \rho'(i-1), v_\tau, \tau\rangle & \text{if } x_{\text{ProperStep}} \in P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ \text{SkipStep}\langle\rho(i), \rho'(i-1), v_\tau, \tau\rangle & \text{if } \text{type}(t(i)) = \text{skip} \\ \text{UnmatchedReturnStep}\langle\rho(i), v_\tau, \tau\rangle & \text{if } \text{type}(t(i)) = \text{return} \end{cases}$$

where v_η (in $\hat{\rho}$) and η (in \hat{r}) occur at the unique position in question w.r.t. the definition of

$$\text{MatchedCallStep}\langle\rho(i), \rho'(i-1), v_\tau, v_\eta, \tau, \eta\rangle.$$

That is, a matched call occurs, τ should be used to process the call, and η should be used to process the matching return that occurs n transitions later according to the definition. Hence, the prophecy variable for some “Step”-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We conclude that $M(i)$ is nonempty.

We have completed the case where i is a step. Now we consider the case where i is not a step, i.e., i is in a hump. Consequently, for this part of the proof, also “Hump”-prophecies are relevant. We are interested in the previous call, that is, the maximal $j < i$ where a call-transition is taken such that $\text{sh}(c(j)) + 1 = \text{sh}(c(i))$. By induction hypothesis, $M(j)$ is nonempty, thus, $\text{choice}(j)$ is of the form

$$\text{MatchedCallStep}\langle\rho(j), \rho'(j-1), \rho'(j), v_\eta, \tau(j), \eta\rangle \text{ with } v_\eta \in V \text{ and } \eta \in \Delta$$

or

$$\text{CallHump}\langle\rho(j), \rho'(j-1), \rho'(j), v_\eta, v_\vartheta, \tau(j), \eta, \vartheta\rangle \text{ with } v_\eta, v_\vartheta \in V \text{ and } \eta, \vartheta \in \Delta.$$

In fig. 1, the first situation occurs by taking i as position 5, then j is position 2. The second situation occurs by taking i as 6, then j is 5.

By definition of $\text{MatchedCallStep}\langle\cdot, \cdot\rangle$ resp. $\text{CallHump}\langle\cdot, \cdot\rangle$, the transition $\tau(j)$ processes the call $(t(j), \lambda(\rho'(j))) \in \Sigma^2$ such that there is a transition η that processes the matching return $(t(j+k), \lambda(v_\eta)) \in \Sigma^2$ for some vertex $v_\eta \in V$ which occurs, say, k transitions later. Having this prophecy as $\text{choice}(j)$, we show that Verifier plays in a way that honors the commitment made for the return. We have that $j < i \leq k$.

We distinguish how i is reached, i.e., we take a look at $i-1$. By induction hypothesis, $M(i-1)$ is nonempty.

Firstly, assume the type of $t(i-1)$ is a skip as this is the simplest case. Thus, $\text{choice}(i-1)$ is of the form

$$\text{SkipHump}\langle\rho(i-1), \rho'(i-2), \rho'(i-1), v_\eta, \tau(i-1), \eta\rangle \text{ with } v_\eta \text{ and } \eta \text{ as in } \text{choice}(j).$$

Recall the case of definition 3 where the set M is populated by prophecy variables for “SkipHump”-prophecies (see Eq. (2)), to see that v_η and η are determined by $\text{choice}(j)$.

For the unique suitable n (that is where the next return occurs according to the definition of $\text{SkipHump}\langle\rho(i-1), \rho'(i-2), \rho'(i-1), v_\eta, \tau(i-1), \eta\rangle$), let $\tilde{\rho}$ be a finite path of the form

$$\tilde{\rho} = v_0 \cdots v_n \text{ with } v_0 = \rho'(i-1) \text{ and } v_n = v_\eta$$

and \tilde{r} be a finite run on $\text{mrg}(t[i-1, n], \lambda(\tilde{\rho}))$ of the form

$$\tilde{r} = c_0 \tau_0 \cdots c_n \tau_n c_{n+1} \text{ with } c_0 = c(i-1) \text{ and } \tau_0 = \tau(i-1) \text{ (and hence } c_1 = c(i) \text{ and } \tau_n = \eta),$$

such that $\tilde{\rho}$ and \tilde{r} witness that the prophecy variable for $\text{choice}(i-1)$ is in $P(i-1)$ (hence also in $M(i-1)$). Taking $\tilde{\rho}[1, n] = v_1 \cdots v_n$ and $\tilde{r}[1, n] = c_1 \tau_1 \cdots c_n \tau_n c_{n+1}$ gives us a path starting in $\text{Succ}(\rho'(i-1))$ and reaching v_η as well as a run starting from $c(i)$ using η as its last transition. As before, we are not interested in any combination of path and run (such as $\tilde{\rho}[1, n]$ and $\tilde{r}[1, n]$) that reaches v_η where η can be taken in n transitions, we are looking for an optimal combination of path and run with these properties in terms of visiting an accepting state as soon as possible: There is a path

$$\hat{\rho} = v'_1 \cdots v'_n \text{ with } v'_1 \in \text{Succ}(\rho'(i-1)) \text{ and } v'_n = v_\eta, \text{ and}$$

a run on $\text{mrg}(t[i, n], \lambda(\hat{\rho}))$

$$\hat{r} = c'_1 \tau'_1 \cdots c'_n \tau'_n c'_{n+1} \text{ with } c'_1 = c(i) \text{ and } \tau'_n = \eta \text{ (and hence } c'_{n+1} = c_{n+1})$$

such that for all paths $\hat{\rho}' = v''_0 v''_1 \cdots v''_{n-1} v_\eta$ where $v''_0 \in \text{Succ}(\rho'(i-1))$ and runs $\hat{r}' = c(i) \cdots \eta c_{n+1}$ on $\text{mrg}(t[i, n], \lambda(\hat{\rho}'))$ we have $\text{FirstAcc}(\hat{r}) \leq \text{FirstAcc}(\hat{r}')$. This yields

$$t[i, \infty) \in \begin{cases} \text{CallHump}(\rho(i), \rho'(i-1), v'_1, v'_k, v_\eta, \tau'_1, \tau'_k, \eta) & \text{if } \text{type}(t(i)) = \text{call} \\ \text{SkipHump}(\rho(i), \rho'(i-1), v'_1, v_\eta, \tau'_1, \eta) & \text{if } \text{type}(t(i)) = \text{skip} \\ \text{ReturnHump}(\rho(i), v_\eta, \eta) & \text{if } \text{type}(t(i)) = \text{return}, \end{cases}$$

where v'_k (in $\hat{\rho}$) and τ'_k (in \hat{r}) occur at the unique position in question w.r.t. the definition of

$$\text{CallHump}(\rho(i), \rho'(i-1), v'_1, v'_k, v_\eta, \tau'_1, \tau'_k, \eta).$$

As a reminder of its definition, a matched call occurs, τ'_1 processes the call, and τ'_k processes the matching return. Hence, the prophecy variable for some ‘‘Hump’’-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We conclude that $M(i)$ is nonempty.

Secondly, assume the type of $t(i-1)$ is a call. This is the situation depicted in fig. 1 by taking i as 6, then j is 5. Then, $j = i-1$, and we re-express $\text{choice}(j)$ as $\text{choice}(i-1)$ by replacing j with $i-1$:

$$\text{CallHump}(\rho(i-1), \rho'(i-2), \rho'(i-1), v_\eta, v_\vartheta, \tau(i-1), \eta, \vartheta) \text{ with } v_\eta, v_\vartheta \in V \text{ and } \eta, \vartheta \in \Delta.$$

Again, we take a look at a path and run that witness that the prophecy variable for $\text{choice}(i-1)$ is in $P(i-1)$ (hence also in $M(i-1)$). For the unique suitable $m < n$ (as in the definition of $\text{CallHump}(\cdot, \cdot)$ three lines above), let $\tilde{\rho}$ be a finite path of the form

$$\tilde{\rho} = v_0 \cdots v_n \text{ with } v_0 = \rho'(i-1), v_m = v_\eta, \text{ and } v_n = v_\vartheta,$$

and \tilde{r} be a finite run $\text{mrg}(t[i-1, n], \lambda(\tilde{\rho}))$ of the form

$$\tilde{r} = c_0 \tau_0 \cdots c_n \tau_n c_{n+1} \text{ with } c_0 = c(i-1), \tau_0 = \tau(i-1), \text{ hence } c_1 = c(i), \tau_m = \eta, \text{ and } \tau_n = \vartheta$$

such that $\tilde{\rho}$ and \tilde{r} witness that the prophecy variable for $\text{choice}(i-1)$ is in $P(i)$ (hence in $M(i)$). Taking the infix $\tilde{\rho}[1, m] = v_1 \cdots v_m$ and $\tilde{r}[1, m] = c_1 \tau_1 \cdots c_m \tau_m c_{m+1}$ gives us a path starting in $\text{Succ}(\rho'(i-1))$ and reaching v_η as well as a run starting from $c(i)$ using η as its last transition. As before, we are considering an optimal (in terms of visiting an accepting state as soon as possible) combination where the path and run end with the same vertex respectively transition as $\tilde{\rho}$ and \tilde{r} : There is a path

$$\hat{\rho} = v'_1 \cdots v'_m \text{ with } v'_1 \in \text{Succ}(\rho'(i-1)) \text{ and } v'_m = v_\eta, \text{ and}$$

a run on $\text{mrg}(t[i, n], \lambda(\hat{\rho}))$

$$\hat{r} = c'_1 \tau'_1 \cdots c'_m \tau'_m c'_{m+1} \text{ with } c'_1 = c(i) \text{ and } \tau'_m = \eta \text{ (and hence } c'_{m+1} = c_{m+1})$$

such that for all paths $\hat{\rho}' = v'_0 v'_1 \cdots v'_{m-1} v_\eta$ where $v'_0 \in \text{Succ}(\rho'(i-1))$ and runs $\hat{r}' = c(i) \cdots \eta c_{m+1}$ on $\text{mrg}(t[i, n], \lambda(\hat{\rho}'))$ we have $\text{FirstAcc}(\hat{r}) \leq \text{FirstAcc}(\hat{r}')$. This yields

$$t[i, \infty) \in \begin{cases} \text{CallHump}\langle \rho(i), \rho'(i-1), v'_1, v'_k, v_\eta, \tau'_1, \tau'_k, \eta \rangle & \text{if } \text{type}(t(i)) = \text{call} \\ \text{SkipHump}\langle \rho(i), \rho'(i-1), v'_1, v_\eta, \tau'_1, \eta \rangle & \text{if } \text{type}(t(i)) = \text{skip} \\ \text{ReturnHump}\langle \rho(i), v_\eta, \eta \rangle & \text{if } \text{type}(t(i)) = \text{return}, \end{cases}$$

where v'_k (in $\hat{\rho}$) and τ'_k (in \hat{r}) occur at the unique position in question w.r.t. the definition of

$$\text{CallHump}\langle \rho(i), \rho'(i-1), v'_1, v'_k, v_\eta, \tau'_1, \tau'_k, \eta \rangle.$$

As a reminder of its definition, a matched call occurs, τ'_1 should be used to process the call, and τ'_k should be used to process the matching return. Hence, the prophecy variable for some ‘‘Hump’’-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We conclude that $M(i)$ is nonempty.

Lastly, assume the type of $t(i-1)$ is a return. Such a situation is depicted in fig. 1 by taking i as 5, as position 5 lies in between the matching call-return pair (2, 7) (hence, j is 2).

We are interested in its matching call: There exists a maximal $j' < i-1$ where a call-transition is taken such that $\text{sh}(c(j')) + 1 = \text{sh}(c(i-1))$. Note that j' is not a step, as the call is undone by the return in $i-1$. Furthermore, note that we have $j < j'$ and the type of $t(\ell)$ is a skip for every $j < \ell < j'$.

Returning to the situation depicted in fig. 1 by taking i as 5 where $i-1$ is a return, we obtain that j' is position 3.

By induction hypothesis, $M(j')$ is nonempty. Thus, $\text{choice}(j')$ is of the form

$$\text{CallHump}\langle \rho(j'), \rho'(j'-1), \rho'(j'), v_{\eta'}, v_\eta, \tau(j'), \eta', \eta \rangle$$

for some $v_{\eta'} \in V$ and some return-transitions η' and v_η and η as in $\text{choice}(j)$. Recall the case of definition 3 where the set M is populated by prophecy variables for ‘‘CallHump’’-prophecies (see Eq. (1)), to see that v_η and η are determined by $\text{choice}(j)$.

By induction hypothesis, $M(i-1)$ is nonempty. Thus, $\text{choice}(i-1)$ is of the form

$$\text{ReturnHump}\langle \rho(i-1), \rho'(i-1), \tau(i-1) \rangle$$

where $\rho'(i-1) = v_{\eta'}$ and $\tau(i-1) = \eta'$ with $v_{\eta'}$ and η' as in $\text{choice}(j')$. Recall the case of definition 3 where the set M is populated by prophecy variables for ‘‘ReturnHump’’-prophecies (see Eq. (3)), to see that $v_{\eta'}$ and η' are determined by $\text{choice}(j')$.

There are a path and run that witness that the prophecy variable for $\text{choice}(j')$ is in $P(j')$ (hence in $M(j')$). In combination with $\text{choice}(i-1)$, we will obtain a path and run which yields that $M(i)$ is nonempty.

For the unique suitable $m < n$ as in the definition of

$$\text{CallHump}\langle \rho(j'), \rho'(j'-1), \rho'(j'), v_{\eta'}, v_\eta, \tau(j'), \eta', \eta \rangle,$$

let $\tilde{\rho}$ be a finite path of the form

$$\tilde{\rho} = v_0 \cdots v_n \text{ with } v_0 = \rho'(j'), v_m = v_{\eta'}, \text{ and } v_n = v_\eta,$$

and \tilde{r} be a finite run $\text{mrg}(t[j', n], \lambda(\tilde{\rho}))$ of the form

$$\tilde{r} = c_0 \tau_0 \cdots c_n \tau_n c_{n+1} \text{ with } c_0 = c(j'), \tau_0 = \tau(j'), \tau_m = \eta', \text{ and } \tau_n = \eta$$

such that $\tilde{\rho}$ and \tilde{r} witness that the prophecy variable for $\text{choice}(j')$ is in $P(j')$ (hence in $M(j')$). Using $\text{choice}(i-1)$, we know that $v_m = \rho'(i-1)$ and $\tau_m = \tau(i-1)$. Since $c_0 = c(j)$, this yields also $c_{m+1} = c(i)$. Taking the suffixes $\tilde{\rho}[m+1, n]$ and $\tilde{r}[m+1, n]$ gives us a path starting in $\text{Succ}(\rho'(i-1))$ reaching v_η as well as a run starting from $c(i)$ using η as its last transition. As before, instead of considering the combination $\tilde{\rho}[m+1, n]$ and $\tilde{r}[m+1, n]$, we consider an optimal combination (in terms of visiting an accepting state as soon as possible) where the path and run end with the same vertex respectively transition as $\tilde{\rho}[m+1, n]$ and $\tilde{r}[m+1, n]$: There is a path

$$\hat{\rho} = v'_{m+1} \cdots v'_n \text{ with } v'_{m+1} \in \text{Succ}(\rho'(i-1)) \text{ and } v'_n = v_\eta, \text{ and}$$

a run on $\text{mrg}(t[i, n], \lambda(\hat{\rho}))$

$$\hat{r} = c'_{m+1}\tau'_1 \cdots c'_n\tau'_n c'_{n+1} \text{ with } c'_{m+1} = c(i) \text{ and } \tau'_n = \eta \text{ (and hence } c'_{n+1} = c_{n+1})$$

such that for all paths $\hat{\rho}' = v''_{m+1}v''_{m+2} \cdots v''_{n-1}v_\eta$ where $v''_{m+1} \in \text{Succ}(\rho'(i-1))$ and runs $\hat{r}' = c(i) \cdots \eta c_{m+1}$ on $\text{mrg}(t[i, n], \lambda(\hat{\rho}'))$ we have $\text{FirstAcc}(\hat{r}) \leq \text{FirstAcc}(\hat{r}')$. This yields

$$t[i, \infty) \in \begin{cases} \text{CallHump}\langle \rho(i), \rho'(i-1), v'_{m+1}, v'_k, v_\eta, \tau'_{m+1}, \tau'_k, \eta \rangle & \text{if } \text{type}(t(i)) = \text{call} \\ \text{SkipHump}\langle \rho(i), \rho'(i-1), v'_{m+1}, v_\eta, \tau'_{m+1}, \eta \rangle & \text{if } \text{type}(t(i)) = \text{skip} \\ \text{ReturnHump}\langle \rho(i), v_\eta, \eta \rangle & \text{if } \text{type}(t(i)) = \text{return}, \end{cases}$$

where v'_k (in $\hat{\rho}$) and τ'_k (in \hat{r}) occur at the unique position in question w.r.t. the definition of

$$\text{CallHump}\langle \rho(i), \rho'(i-1), v'_{m+1}, v'_k, v_\eta, \tau'_{m+1}, \tau'_k, \eta \rangle.$$

As a reminder of its definition, a matched call occurs, τ'_{m+1} should be used to process the call, and τ'_k should be used to process the matching return. Hence, the prophecy variable for some ‘‘Hump’’-prophecy is in $P(i)$. By definition of $M(i)$, this variable is also selected to be in $M(i)$. We conclude that $M(i)$ is nonempty. \square

We now show that since Verifier has always used the NONEMPTY-case (lemma 4) for all outcomes that satisfy Assumption 1, the run r defined during the strategy definition is accepting.

Lemma 5. *Let $\text{mrg}(\alpha, \beta)$ be an outcome of the Gale-Stewart game $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ that is consistent with the strategy constructed in definition 3 and that satisfies Assumption 1. Let t, t' be the traces induced by $\text{mrg}(\alpha, \beta)$. The run r of \mathcal{A} on $\text{mrg}(t, t')$ constructed during the strategy definition is accepting.*

Proof. We first remark that Assumption 1 guarantees that $t \in L(\mathfrak{T})$, this is a necessary precondition for the run r on $\text{mrg}(t, t')$ to be accepting (recall we also assume that $\mathfrak{T} \models \varphi$). As above, we use all the necessary notation introduced above lemma 4. Furthermore, lemma 4 implies that $\text{choice}(i)$ is defined for all i .

The run $r = c(0)\tau(0) \cdots$ is constructed based on the prophecies. In general, to pick $\tau(i)$, the prophecy $\text{choice}(i)$ indicates how to extend $c(0)\tau(0) \cdots \tau(i-1)c(i)$ in a way such that an accepting state is visited as soon as possible. But there is an important distinction to be made whether i is a step or not. If i is step, the run r is in a situation where all open calls have been matched (or never will be, hence are not important). The prophecy $\text{choice}(i)$ simply indicates an accepting run starting from (a sufficient representation of) $c(i)$ that visits an accepting state as soon as possible. Now, if i is not step, then i is in a hump, i.e., there are open calls that will be matched in the future. In that case, the prophecy $\text{choice}(i)$ is parameterized by how the latest open call is to be closed. Thus, the finite run indicated by $\text{choice}(i)$ is a run that respects how the call is to be closed and furthermore this run visits an accepting state (if possible at all) as soon as possible.

We prove that this construction implies that r is build in a way such that whenever r is at a step, it follows an accepting run that visits an accepting state as soon as possible until the accepting state has been visited. When the accepting state has been reached, some calls in r are still open, but the commitment on how to close them has already been made. The run r continues and closes them. All calls have been closed when the next step is reached. As every run contains infinitely many steps, this will eventually happen. Thus, the run r is free again to follow its way to an accepting state as soon as possible. A this happens infinitely many times, an accepting state is visited infinitely many times. It follows that the run r is indeed accepting.

Formally, we show for all $i \geq 0$ that if i is a step then $\text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle < \infty$ and furthermore, there exists a path

$$\tilde{\rho} = v_i v_{i+1} \cdots \text{ with } v_i \in \text{Succ}(\rho'(i-1)),$$

and a run

$$\tilde{r} = c_i \tau_i \cdots \text{ with } c_i = c(i)$$

on $\text{mrg}(t[i, \infty), \lambda(\tilde{\rho}))$ such that $\text{FirstAcc}(\tilde{r}) = \text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle$ and

$$\rho'(\ell) = v_\ell, c(\ell) = c_\ell, \tau(\ell) = \tau_\ell \text{ (recall that } r = c(0)\tau(0) \cdots c(\ell)\tau(\ell) \cdots)$$

for all $i \leq \ell \leq i + k$, where $k = \text{FirstAcc}(\tilde{r})$. In short, we show that the optimal run \tilde{r} and the run r constructed during the strategy construction now coincide for the next k positions. Since at the k -th position (starting from i which is a step), \tilde{r} visits an accepting state, so does r . Since r has infinity many steps, this yields that at infinitely many positions F is visited, i.e., r is accepting.

Fix any i that is a step. Then $\text{choice}(i)$ is of the form

$$\begin{aligned} & \text{MatchedCallStep}\langle \rho(i), \rho'(i-1), \rho'(i), v_\eta, \tau(i), \eta \rangle \text{ if } x_{\text{properStep}} \notin P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ & \text{UnmatchedCallStep}\langle \rho(i), \rho'(i-1), \rho'(i), \tau(i) \rangle \text{ if } x_{\text{properStep}} \in P(i) \text{ and } \text{type}(t(i)) = \text{call} \\ & \text{SkipStep}\langle \rho(i), \rho'(i-1), \rho'(i), \tau(i) \rangle \text{ if } \text{type}(t(i)) = \text{skip} \\ & \text{UnmatchedReturnStep}\langle \rho(i), \rho'(i), \tau(i) \rangle \text{ if } \text{type}(t(i)) = \text{return} \end{aligned}$$

for some vertex v_η and some Σ_r -transition η in first case. By definition of the prophecy $\text{choice}(i)$, this directly yields that $\text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle < \infty$ and there exists a path $\tilde{\rho}$ and a run \tilde{r} on $\text{mrg}(t[i, \infty), \lambda(\tilde{\rho}))$ such that

$$\text{FirstAcc}(\tilde{r}) = \text{opt}\langle c(i), \rho'(i-1), t[i, \infty) \rangle. \quad (4)$$

Furthermore, $v_i = \rho'(i) \in \text{Succ}(\rho'(i-1))$ and $c_i = c(i)$. We note that there can actually be several of these optimal combinations, let S be the set of these optimal $(\tilde{\rho}, \tilde{r})$.

We argue that $\rho'[i, \infty)$ and $r[i, \infty)$ follows some optimal $\tilde{\rho}$ and \tilde{r} at least until F is visited. Formally, we prove that there exists $(\tilde{\rho}, \tilde{r}) \in S$, say $\tilde{\rho} = v_i v_{i+1} \dots$ and $\tilde{r} = c_i \tau_i \dots$, such that for all $i \leq \ell \leq i + k$ where $k = \text{FirstAcc}(\tilde{r})$, $\text{choice}(\ell)$ is picked w.r.t. $\tilde{\rho}$ and \tilde{r} meaning the following:

Condition 1 We have $\rho'(\ell) = v_\ell$, $c(\ell) = c_\ell$, $\tau(\ell) = \tau_\ell$.

Condition 2 If the type of $t(\ell)$ is a call which has a matching return later, then $\text{choice}(\ell)$ fixes the return (say n positions later) as $\tau_{\ell+n}$ (from \tilde{r}) to be taken at $v_{\ell+n}$ (from $\tilde{\rho}$). Thus, definition 3 ensures that $\rho'(\ell+n)$ will be $v_{\ell+n}$ and $\tau(\ell+n)$ will be $\tau_{\ell+n}$.

We note the first condition covers the statement given at the start of this lemma which is enough to show that the constructed run is accepting. The second condition is only needed for correctness.

Before we start with the proof, we note that, for all $(\tilde{\rho}, \tilde{r}) \in S$, the prefix $\tilde{r}[0, k)$ does not visit F , and since \tilde{r} is optimal, we obtain that

$$\text{FirstAcc}(\tilde{r}[i-\ell, \infty)) = \text{opt}\langle c(\ell), \rho'(\ell-1), t[\ell, \infty) \rangle, \text{ and} \quad (5)$$

$$\text{FirstAcc}(\tilde{r}) = k = (\ell - i) + \text{FirstAcc}(\tilde{r}[\ell - i, \infty)) \quad (6)$$

for all $i \leq \ell \leq i + k$.

For any ℓ with $i < \ell \leq i + k$, we assume that $\text{choice}(i)$ up to $\text{choice}(\ell - 1)$ picked w.r.t. $\tilde{\rho}$ and \tilde{r} for some $(\tilde{\rho}, \tilde{r}) \in S$. We show that $\text{choice}(\ell)$ is picked w.r.t. $\tilde{\rho}$ and \tilde{r} for some $(\tilde{\rho}, \tilde{r}) \in S'$, where $S' \subseteq S$ is the subset of pairs $(\tilde{\rho}, \tilde{r})$ which are compatible with $\text{choice}(i)$ up to $\text{choice}(\ell - 1)$. Now, towards a contradiction, assume $\text{choice}(\ell)$ is not compatible with any $(\tilde{\rho}, \tilde{r}) \in S'$. The prophecy $\text{choice}(\ell)$ implies that there is a path $\hat{\rho} = \rho'(\ell) \dots$ and run $\hat{r} = c(\ell) \tau(\ell) \dots$ such that $\text{FirstAcc}(\hat{r})$ is minimal among relevant alternative paths/runs. Which paths/runs are relevant, is determined by whether ℓ is a step.

- ℓ is a step: $\text{choice}(\ell)$ is a “Step”-prophecy, these types of prophecies set no constraints on the future of the path/run that have to be respected.
- ℓ is not a step, i.e., ℓ is in a hump: $\text{choice}(\ell)$ is a “Hump”-prophecy, these types of prophecies set constraints on the future of the path/run regarding upcoming returns that have to be respected.

See the definition of the individual prophecies for a more formal understanding. We now use the path $\hat{\rho}$ and run \hat{r} which are an optimal combination among relevant alternatives to arrive at a contradiction.

For all $(\tilde{\rho}, \tilde{r}) \in S'$, it holds that $\rho'[i, \ell)$ is a prefix of $\tilde{\rho}$ and $r[i, \ell) = c(i) \tau(i) \dots c(\ell)$ is a prefix of \tilde{r} . We show that $(\rho'[i, \ell) \cdot \hat{\rho}, r[i, \ell) \cdot \hat{r}) \in S'$. Take any $(\tilde{\rho}, \tilde{r}) \in S'$. We know that

$$\text{FirstAcc}(\hat{r}) \geq \text{opt}\langle c(\ell), \rho'(\ell-1), t[\ell, \infty) \rangle = \text{FirstAcc}(\tilde{r}[i-\ell, \infty)) \quad (7)$$

by definition of $\text{opt}\langle \cdot, \cdot, \cdot \rangle$ and Eq. (5). By definition 3, $\text{choice}(\ell)$ continues the path ρ' and the run r in a way that respects the previous choices about upcoming returns. Thus, in particular, choices made by $\text{choice}(i)$ up to $\text{choice}(\ell - 1)$. We recall that we are guaranteed by Condition 2, that the choices about upcoming returns are made w.r.t. $\tilde{\rho}$ and \tilde{r} for all $(\tilde{\rho}, \tilde{r}) \in S'$. Hence, for $\text{choice}(\ell)$, in order to determine that $\hat{\rho}$ and \hat{r} yield a combination such that $\text{FirstAcc}(\hat{r})$ is minimal among all other relevant path/run combinations, all $\tilde{\rho}[i - \ell, \infty)$ and $\tilde{r}[i - \ell, \infty)$ with $(\tilde{\rho}, \tilde{r}) \in S'$ have been considered. We can conclude that

$$\text{FirstAcc}(\hat{r}) \leq \text{FirstAcc}(\tilde{r}[i - \ell, \infty)), \quad (8)$$

for all $(\tilde{\rho}, \tilde{r}) \in S'$. Thus, combining Eq. (7) and Eq. (8), we have

$$\text{FirstAcc}(\hat{r}) = \text{FirstAcc}(\tilde{r}[i - \ell, \infty)), \quad (9)$$

for all $(\tilde{\rho}, \tilde{r}) \in S'$. Using Eq. (6) and Eq. (9), we obtain

$$\text{FirstAcc}(\tilde{r}) = (\ell - i) + \text{FirstAcc}(\hat{r}) \quad (10)$$

for all $(\tilde{\rho}, \tilde{r}) \in S'$. Finally, using that $(\ell - i) + \text{FirstAcc}(\hat{r}) = \text{FirstAcc}(r[i, \ell) \cdot \hat{r})$ and Eq. (4), yields

$$\text{FirstAcc}(r[i, \ell) \cdot \hat{r}) = \text{opt}\langle c(i), \rho'(i - 1), t[i, \infty) \rangle. \quad (11)$$

Thus, $(\rho'[i, \ell) \cdot \hat{\rho}, r[i, \ell) \cdot \hat{r}) \in S'$, which contradicts the initial assumption that $\text{choice}(\ell)$ is not compatible to any pair in S' . Hence, $\text{choice}(\ell)$ is compatible to at least one pair in S' .

Recall that compatible means it satisfies Conditions 1 and 2, so we have proven that also in the ℓ -th position after a step, the run r has copied an optimal run \tilde{r} starting from $c(i)$ processing $t[i, \infty)$ (this is Condition 1). Since ℓ ranges between 0 and k (inclusive), and \tilde{r} visits an accepting state at position k , we have shown that r visits an accepting state at position $i + k$.

As this is true for all positions i in r that are a step, and as there are infinitely many steps in r , we have proven that r visits infinitely many accepting states, i.e., it is accepting. \square

We have just shown that if $\text{mrg}(\alpha, \beta)$ is an outcome of the Gale-Stewart game $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$ where Verifier played according to the strategy proposed in definition 3, then there exists an accepting run r of \mathcal{A} (recall, that is, the automaton of the original formula φ) on $\text{mrg}(t, t')$ where t, t' are the traces induced by the outcome of the game. Hence, our characterization is indeed complete: if $\mathfrak{T} \models \forall \pi. \exists \pi'. \mathcal{A}$ then Verifier wins $\mathcal{G}(L(\mathcal{A}, \mathfrak{T}, \mathcal{P}))$

9 Proofs Omitted in Section 5

9.1 Proof of Theorem 4

Theorem 4. *HyperVPA model-checking for $\Pi_{2,2}$ formulas is undecidable.*

Proof. Let \mathcal{A} be an ω -PDA over Σ with set Δ of transitions and consider the language L containing all words of the form $\text{mrg}(w, \tau_0\tau_1\tau_2\cdots)$ with $w \in \Sigma^\omega$ and $\tau_0\tau_1\tau_2\cdots \in \Delta^\omega$ such that $\tau_0\tau_1\tau_2\cdots$ induces an accepting run of \mathcal{A} on w . Assuming that \mathcal{A} does not have ε -transitions implies that τ_j processes $w(j)$, i.e., the two components of $\text{mrg}(w, \tau_0\tau_1\tau_2\cdots)$ are synchronized. Intuitively, we construct an ω -VPA \mathcal{B} recognizing L that simulates the run induced by the second component of the input (if it does indeed induce a run) and accepts if the run processes the word in the first component and is accepting (we are omitting some technical details for now). Note that \mathcal{B} is indeed controlled by the second component, as \mathcal{B} simulates the transitions in the second component. Then, a suitable transition system satisfies $\forall \pi_0. \exists \pi_1. \mathcal{B}$ if and only if $L(\mathcal{A})$ is universal, as the formula expresses that for every input $w \in \Sigma^\omega$ there is an accepting run of \mathcal{A} on w . As universality of pushdown automata is undecidable, this yields the desired result.

To ensure that L as described above can indeed be recognized by an ω -VPA, it is convenient to start with context-free grammars instead of pushdown automata. But we will also work with PDA (over finite words) that accept with an empty stack. Such automata have the form $\mathcal{A} = (Q, \Sigma, \Gamma, q_I, X_I, \Delta)$ where Q, Σ, Γ, q_I are as for ω -PDA as defined in section 2 and where $X_I \in \Gamma$ is the initial stack symbol and where Δ is a finite subset of $Q \times \Gamma \times \Sigma_\varepsilon \times Q \times \Gamma^*$. The initial configuration is (q_I, X_I) and a configuration is

accepting if its stack is empty (i.e., we do not have a dedicated stack bottom symbol). In the following, we disregard the empty word for technical reasons, i.e., we only consider nonempty words.

We say that a PDA or an ω -PDA \mathcal{A} is normalized if it does not have any ε -transitions and if every transition increases the stack height by at most one during each transition, i.e., every transition (q, X, a, q', γ) satisfies $|\gamma| \leq 2$. Furthermore, we say that \mathcal{A} is fully normalized if it is normalized and additionally

- every transition of \mathcal{A} of the form (q, X, a, q', X') satisfies $X = X'$, and
- every transition of \mathcal{A} of the form $(q, X, a, q', X'X'')$ satisfies $X = X'$.

Note that these two conditions are the same as for visibly pushdown automata. Our first goal is to show that universality is undecidable for fully normalized ω -PDA. This result relies on several textbook constructions that we need to carefully combine. For the sake of self-containedness, we present these (known) constructions here.

Universality for context-free grammars (generating languages of nonempty finite words) is undecidable. Every context-free grammar can be transformed into an equivalent one in 2-Greibach normal form [13, Corollary 3.2], i.e., every rule has the form $A \rightarrow aA_1 \cdots A_n$ where a is a terminal, A, A_1, \dots, A_n are nonterminals, and $n \leq 2$. Hence, universality is also undecidable for grammars in 2-Greibach normal form (here, we benefit from disregarding the empty word, as we do not need to allow a special rule to generate the empty word). Applying the classical translation (see, e.g., [16]) of context-free grammars into PDA that accept with an empty stack to grammars in 2-Greibach normal form yields normalized PDA's (note that the empty word can only be accepted with ε -transitions, as the stack is initially nonempty, but we accept with an empty stack, i.e., the PDA would not be normalized). Hence, universality is also undecidable for normalized PDA's.

Next, we turn a PDA into an ω -PDA while preserving universality and normalization. Formally, given a PDA $\mathcal{A} = (Q, \Sigma, \Gamma, q_I, X_I, \Delta)$ we construct the ω -PDA $\mathcal{A}' = (Q', \Sigma', \Gamma', q'_I, \Delta', F')$ where (see also fig. 3)

- $Q' = Q \cup \{q'_I, q'_{s_1}, q'_{s_2}, q'_t\}$,
- $\Sigma' = \Sigma \cup \{\#\}$ where $\# \notin \Sigma$ is a fresh input letter,
- $\Gamma' = \Gamma$, and
- Δ' contains the following transitions:
 - $(q'_I, \perp, a, q'_I, \perp)$ for all $a \in \Sigma$: A self-loop on the new initial state with every non- $\#$ letter.
 - $(q'_I, \perp, \#, q_I, \#X_I)$: A $\#$ -transition to the (old) initial state of \mathcal{A} that puts the initial stack symbol of \mathcal{A} on top of the stack bottom symbol \perp of \mathcal{A}' .
 - All transitions in Δ : Every run of \mathcal{A}' can be simulated, and if (and only if) the stack of \mathcal{A} is emptied during the simulation, the stack bottom symbol of \mathcal{A}' is exposed again.
 - $(q, \perp, \#, q'_{s_1}, \perp)$ for every state $q \in Q$ of \mathcal{A} : Once the simulation has ended with an empty stack, the new (sink) state q'_{s_1} can be reached by processing another $\#$.
 - $(q'_{s_1}, \perp, a, q'_{s_1}, \perp)$ for all $a \in \Sigma \cup \{\#\}$: A self-loop on q'_{s_1} with every letter in $\Sigma \cup \{\#\}$.
 - $(q'_I, \perp, \#, q'_{s_2}, \perp)$: A $\#$ -transition from the new initial state to another new (sink) state q'_{s_2} .
 - $(q'_{s_2}, \perp, a, q'_{s_2}, \perp)$ for all $a \in \Sigma$: A self-loop on q'_{s_2} with every letter in Σ , but not $\#$.
 - $(q'_I, \perp, \#, q'_t, \perp)$ and $(q'_t, \perp, \#, q'_{s_1}, \perp)$: Two transitions processing $\#\#$ from the new initial state to the first sink state q'_{s_1} .
- Finally, we define $F' = \{q'_I, q'_{s_1}, q'_{s_2}\}$, i.e., a run is accepting if when it enters \mathcal{A} (which can happen only once), then it also leaves it again. If it is never entered, then the run is accepting as well.

The resulting ω -PDA \mathcal{A}' is indeed normalized if \mathcal{A} is normalized.

Now, consider an ω -word w over $\Sigma \cup \{\#\}$. If w does not contain a $\#$ then it is accepted by \mathcal{A}' using the self-loops on the new initial state q'_I . Also, if w contains exactly one $\#$ then it is accepted by \mathcal{A}' using the self-loops on the new initial state until the $\#$ is processed using the transition leading to q'_{s_2} , from where the remainder of the word can be processed (which does not contain a $\#$).




Figure 3: Turning an PDA into an ω -PDA while preserving universality and normalization. A transition (q, X, a, q', γ) is depicted by an edge from q to q' labeled by $a, X \mid \gamma$. Here, $*$ represents an arbitrary letter from Σ (but not $\#$!) and \dagger represents an arbitrary letter from $\Sigma \cup \{\#\}$. Furthermore, the thick transition connects every state of \mathcal{A} to q'_{s_1} .

So, let us consider the case where w has at least two $\#$. If the first two $\#$ occur at consecutive positions then the word is accepted by using the self-loops on the new initial state q'_I until the first $\#$ is processed using the transition to q'_t . This is, by our assumption, immediately followed by a second $\#$, which is processed by the transition to q'_{s_1} . From there, the remainder of the word can be processed.

Finally, assume the first two $\#$ do not occur at consecutive positions, i.e., w has the form $x_0\#x_1\#w'$ such that x_0, x_1 are finite words, x_1 is nonempty, and w' is an ω -word over $\Sigma \cup \{\#\}$. The only way to accept such a word is to process x_0 using the self-loop on the new initial state q'_I until the first $\#$ is processed using the transition to q_I . From there, an accepting run of \mathcal{A} on x_1 has to be simulated, as the only way to process the second $\#$ is to take a $\#$ -transition to q'_{s_1} , which is only enabled if the stack only contains \perp (i.e., in the simulation, the stack of \mathcal{A} has been emptied). Hence, we have indeed $L(\mathcal{A}) = \Sigma^+$ if and only if $L(\mathcal{A}') = (\Sigma \cup \{\#\})^\omega$. Hence, universality for normalized ω -PDA is undecidable.

As a next step, we need to fully normalize a normalized ω -PDA \mathcal{A}' . This can be achieved by simulating \mathcal{A}' while storing the topmost stack symbol of \mathcal{A}' in the state and the rest of the stack of \mathcal{A}' in the stack of the simulating automaton.

Formally, given a normalized ω -PDA $\mathcal{A}' = (Q', \Sigma', \Gamma', q'_I, \Delta', F')$ we then define the ω -PDA $\mathcal{A}'' = (Q'', \Sigma'', \Gamma'', q''_I, \Delta'', F'')$ with

- $Q'' = Q' \times \Gamma$,
- $\Sigma'' = \Sigma'$,
- $\Gamma'' = \Gamma'$,
- $q''_I = (q_I, \perp)$, and
- Δ'' contains the following transitions:
 - For every transition $(q, X, a, q', \varepsilon) \in \Delta'$ of \mathcal{A}' (which implies $X \neq \perp$), \mathcal{A}'' has the transition $((q, X), Y, a, (q', Y), \varepsilon)$ for every $Y \in \Gamma$ and the transition $((q, X), \perp, a, (q', \perp), \perp)$: The topmost symbol of the stack (encoded in the state of \mathcal{A}'') is removed and updated.
 - For every transition $(q, X, a, q', X') \in \Delta'$ of \mathcal{A}' , \mathcal{A}'' has the transition $(q, X), Y, a, (q', X'), Y)$ for all $Y \in \Gamma \cup \{\perp\}$: The topmost symbol of the stack (encoded in the state of \mathcal{A}'') is updated.
 - For every transition $(q, X, a, q', X'X'') \in \Delta'$ of \mathcal{A}' with $X \neq \perp$, \mathcal{A}'' has the transition $((q, X), Y, a, (q', X''), YX')$ for all $Y \in \Gamma \cup \{\perp\}$: The topmost symbol of the stack (encoded in the state of \mathcal{A}'') is updated and then pushed on the stack (i.e., X is replaced by X' , which is pushed) and the new topmost symbol of the stack is X'' .
 - For every transition $(q, \perp, q', X'X'') \in \Delta'$ of \mathcal{A}' (which implies $X' = \perp$), \mathcal{A}'' has the transition $((q, \perp), \perp, a, (q', X''), \perp)$: If a symbol (X'' here) is pushed on the stack containing only the stack bottom symbol, then it is stored in the state.
- Finally, $F'' = F' \times \Gamma$.

Note that \mathcal{A}'' is fully normalized by construction.

Given a configuration $c = (q, \perp X_1 \cdots X_n)$ of \mathcal{A}' with $n > 0$, we define the configuration $f(c) = ((q, X_n), \perp X_1 \cdots X_{n-1})$. Furthermore, for $c = (q, \perp)$, we define $f(c) = ((q, \perp), \perp)$. Note that f is a bijection between configurations of \mathcal{A}' and \mathcal{A}'' . Now, an induction over $w \in \Sigma^*$ shows that if $c_0 c_1 \cdots c_n$ are the configurations of a run prefix of \mathcal{A}' processing w , then $f(c_0) f(c_1) \cdots f(c_n)$ are the configurations of a run prefix of \mathcal{A}'' processing w . Dually, another induction over $w \in \Sigma^*$ shows that if $c_0 c_1 \cdots c_n$ are the configurations of a run prefix of \mathcal{A}'' processing w , then $f^{-1}(c_0) f^{-1}(c_1) \cdots f^{-1}(c_n)$ are the configurations of a run prefix of \mathcal{A}' processing w . From these two translations and the definition of F'' , we can conclude $L(\mathcal{A}'') = L(\mathcal{A}')$. Hence, universality is undecidable for fully normalized ω -PDA.

Now, given a fully normalized ω -PDA $\mathcal{A}'' = (Q, \Sigma, \Gamma, q_I, \Delta, F)$ (we drop the primes for the sake of readability), we can construct an ω -VPA \mathcal{B} recognizing the ω -language

$$L(\mathcal{B}) = \left\{ \begin{array}{l} \left(\begin{array}{c} w_0 \\ \tau_0 \end{array} \right) \left(\begin{array}{c} w_1 \\ \tau_1 \end{array} \right) \left(\begin{array}{c} w_2 \\ \tau_2 \end{array} \right) \cdots \in (\Sigma \times \Delta)^\omega \left| \begin{array}{l} \tau_0 \tau_1 \tau_2 \cdots \text{ induces an initial accepting run} \\ \text{of } \mathcal{A}'' \text{ processing } w_0 w_1 w_2 \cdots \end{array} \right. \\ \left(\begin{array}{c} w_0 \\ \tau_0 \end{array} \right) \left(\begin{array}{c} w_1 \\ \tau_1 \end{array} \right) \left(\begin{array}{c} w_2 \\ \tau_2 \end{array} \right) \cdots \in ((\Sigma \cup \Delta) \times \Delta)^\omega \left| w_n \in \Delta \text{ for some } n \right. \end{array} \right\} \cup$$

with respect to the following partition of $(\Sigma \cup \Delta) \times (\Sigma \cup \Delta)$, where a is an arbitrary letter in $\Sigma \cup \Delta$.

- $\binom{a}{\tau}$ is in Σ_c if $\tau \in \Delta$ pushes a letter on the stack, i.e., it is of the form (q, X, a', q', XX') .
- $\binom{a}{\tau}$ is in Σ_r if $\tau \in \Delta$ pops a letter off the stack, i.e., it is of the form $(q, X, a', q', \varepsilon)$.
- $\binom{a}{\tau}$ is in Σ_s if $\tau \in \Delta$ does not change the stack, i.e., it is of the form (q, X, a', q', X) .
- $\binom{a}{b}$ with $b \in \Sigma$ is in Σ_s .

Thus, \mathcal{B} is controlled by the second component of the input letters.

Intuitively, \mathcal{B} simulates the run induced by $\tau_0 \tau_1 \tau_2 \cdots$, checks that each τ_n processes $w_n \in \Sigma$ (here, we crucially rely on \mathcal{A}'' being fully normalized), and gets stuck when $\tau_0 \tau_1 \tau_2 \cdots$ does not induce an initial run on $w_0 w_1 w_2 \cdots$. It accepts if the simulated run is accepting or if $w_0 w_1 w_2 \cdots$ contains a letter from Δ .

More formally, \mathcal{B} uses the same states as \mathcal{A}'' , as well as a fresh sink state called q_s . The initial state is the same, as are the accepting ones (q_s is accepting as well). Also, \mathcal{B} uses the same stack alphabet as \mathcal{A}'' and each transition $\tau = (q, X, a, q', \gamma)$ is turned into the transition $(q, X, (a, \tau), q', \gamma)$ and we add all transitions of the form $(q, X, (\tau, *), q_s, \gamma)$ with $\tau \in \Delta$ for suitable γ , and transitions of the form $(q_s, X, (*, *), q_s, \gamma)$ for suitable γ , where $*$ stands for an arbitrary letter. These transitions allow \mathcal{B} to accept if the first component contains a letter from Δ .

Now, we claim that $(\Sigma \cup \Delta)^\omega \models \forall \pi_0. \exists \pi_1. \mathcal{B}$ if and only if \mathcal{A}'' is universal. This concludes the proof, as $\forall \pi_0. \exists \pi_1. \mathcal{B}$ is in $\Pi_{2,2}$ and a finite transition system with language $(\Sigma \cup \Delta)^\omega$ can trivially be constructed.

So, let \mathcal{A}'' be universal. Then, no matter how a trace t_0 for π_0 is selected, we can find a trace t_1 for π_1 so that \mathcal{B} accepts the pair $\text{mrg}(t_0, t_1)$:

- If t_0 contains a letter from Δ , then $\text{mrg}(t_0, t_1)$ is accepted by \mathcal{B} , independently of the choice of t_1 .
- If t_0 does not contain a letter from Δ , i.e., only letters from Σ , then it is accepted by \mathcal{A}'' . Hence, there is an infinite sequence t_1 of transitions of \mathcal{A}'' inducing an initial accepting run of \mathcal{A}'' processing t_0 . Hence, \mathcal{B} accepts $\text{mrg}(t_0, t_1)$.

On the other hand, if \mathcal{A}'' is not universal, then there is a trace $t_0 \notin L(\mathcal{A}'')$. Thus, for every $t_1 \in (\Sigma \cup \Delta)^\omega$, \mathcal{B} does not accept $\text{mrg}(t_0, t_1)$, i.e., $(\Sigma \cup \Delta)^\omega \not\models \forall \pi_0. \exists \pi_1. \mathcal{B}$. \square

Finally, note that our construction in the proof of theorem 4 uses ω -VPA with Büchi acceptance. However, one can strengthen our result to use ω -VPA with weak parity acceptance [14, Chapter 1] where states are labeled by natural numbers (so-called colors) and a run is accepting if the maximal color occurring during the run is even:

- In \mathcal{A}' , we color q'_I and q'_{s_2} both with color 0, the states of \mathcal{A} (and q'_t) with color 1 (so they have to be left eventually), and the state q'_{s_1} by color 2 (so that reaching it implies the run is accepting).

- In the construction of \mathcal{A}'' , we do not need to introduce new colors, even when using weak parity acceptance, as \mathcal{A}'' just simulates \mathcal{A}' step-by-step. Formally, the color of (q, X) in \mathcal{A}'' is the color of q in \mathcal{A}' .
- The construction of \mathcal{B} uses the colors of \mathcal{A}'' (when simulating \mathcal{A}'') and the colors 2 for the sink state q_s that is reached if the first component contains a letter from Δ .

Hence, model-checking is undecidable even for $\Sigma_{2,2}$ formulas and $\Pi_{2,2}$ formulas whose automaton is an ω -VPA with weak parity acceptance with three colors. We leave it open whether this result can be further improved to show undecidability for two colors, i.e., for safety or reachability acceptance.