

Semantics and Verification 2005

Lecture 5

- Hennessy-Milner logic
- syntax and semantics
- correspondence with strong bisimilarity
- examples in CWB

Verifying Correctness of Reactive Systems

Let *Impl* be an implementation of a system (e.g. in CCS syntax).

Equivalence Checking Approach

$$Impl \equiv Spec$$

- \equiv is an abstract equivalence, e.g. \sim or \approx
- *Spec* is often expressed in the same language as *Impl*
- *Spec* provides the full specification of the intended behaviour

Model Checking Approach

$$Impl \models Property$$

- \models is the satisfaction relation
- *Property* is a particular feature, often expressed via a logic
- *Property* is a partial specification of the intended behaviour

Model Checking of Reactive Systems

Our Aim

Develop a logic in which we can express interesting properties of reactive systems.

Logical Properties of Reactive Systems

Modal Properties – what can happen **now** (possibility, necessity)

- drink a coffee (can drink a coffee now)
- does not drink tea
- drinks both tea and coffee
- drinks tea after coffee

Hennessy-Milner Logic – Syntax

Syntax of the Formulae ($a \in Act$)

$$F, G ::= tt \mid ff \mid F \wedge G \mid F \vee G \mid \langle a \rangle F \mid [a]F$$

Intuition:

- tt* all processes satisfy this property
- ff* no process satisfies this property

\wedge, \vee usual logical AND and OR

$\langle a \rangle F$ there is at least one *a*-successor that satisfies *F*

$[a]F$ all *a*-successors have to satisfy *F*

Remark

Temporal properties like *always/never in the future* or *eventually* are not included.

Hennessy-Milner Logic – Semantics

Let $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$ be an LTS.

Validity of the logical triple $p \models F$ ($p \in Proc, F$ a HM formula)

$$p \models tt \text{ for each } p \in Proc$$

$$p \models ff \text{ for no } p \text{ (we also write } p \not\models ff)$$

$$p \models F \wedge G \text{ iff } p \models F \text{ and } p \models G$$

$$p \models F \vee G \text{ iff } p \models F \text{ or } p \models G$$

$$p \models \langle a \rangle F \text{ iff } p \xrightarrow{a} p' \text{ for some } p' \in Proc \text{ such that } p' \models F$$

$$p \models [a]F \text{ iff } p' \models F, \text{ for all } p' \in Proc \text{ such that } p \xrightarrow{a} p'$$

We write $p \not\models F$ whenever *p* does not satisfy *F*.

Temporal Properties – behaviour in **time**

- never drinks any alcohol
(**safety property**: nothing bad can happen)
- eventually will have a glass of wine
(**liveness property**: something good will happen)

Can these properties be expressed using equivalence checking?

What about Negation?

For every formula F we define the formula F^c as follows:

- $tt^c = ff$
- $ff^c = tt$
- $(F \wedge G)^c = F^c \vee G^c$
- $(F \vee G)^c = F^c \wedge G^c$
- $(\langle a \rangle F)^c = [a]F^c$
- $([a]F)^c = \langle a \rangle F^c$

Theorem (F^c is equivalent to the negation of F)

For any $p \in Proc$ and any HM formula F

- 1 $p \models F \implies p \not\models F^c$
- 2 $p \not\models F \implies p \models F^c$

Hennesy-Milner Logic – Denotational Semantics

For a formula F let $\llbracket F \rrbracket \subseteq Proc$ contain all states that satisfy F .

Denotational Semantics: $\llbracket \cdot \rrbracket : Formulae \rightarrow 2^{Proc}$

- $\llbracket tt \rrbracket = Proc$
- $\llbracket ff \rrbracket = \emptyset$
- $\llbracket F \vee G \rrbracket = \llbracket F \rrbracket \cup \llbracket G \rrbracket$
- $\llbracket F \wedge G \rrbracket = \llbracket F \rrbracket \cap \llbracket G \rrbracket$
- $\llbracket \langle a \rangle F \rrbracket = \langle \cdot a \cdot \rrbracket \llbracket F \rrbracket$
- $\llbracket [a]F \rrbracket = [\cdot a \cdot] \llbracket F \rrbracket$

where $\langle \cdot a \cdot \rangle, [\cdot a \cdot] : 2^{(Proc)} \rightarrow 2^{(Proc)}$ are defined by

$$\langle \cdot a \cdot \rangle S = \{p \in Proc \mid \exists p'. p \xrightarrow{a} p' \text{ and } p' \in S\}$$

$$[\cdot a \cdot] S = \{p \in Proc \mid \forall p'. p \xrightarrow{a} p' \implies p' \in S\}.$$

The Correspondence Theorem

Theorem

Let $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$ be an LTS, $p \in Proc$ and F a formula of Hennessy-Milner logic. Then

$$p \models F \quad \text{if and only if} \quad p \in \llbracket F \rrbracket.$$

Proof: by structural induction on the structure of the formula F .

Image-Finite Labelled Transition System

Image-Finite System

Let $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$ be an LTS. We call it **image-finite** iff for every $p \in Proc$ and every $a \in Act$ the set

$$\{p' \in Proc \mid p \xrightarrow{a} p'\}$$

is finite.

Relationship between HM Logic and Strong Bisimilarity

Theorem (Hennessy-Milner)

Let $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$ be an image-finite LTS and $p, q \in St$. Then

$$p \sim q$$

if and only if

$$\text{for every HM formula } F: (p \models F \iff q \models F).$$

CWB Session

```

borg$ /pack/FS/CWB/cwb
> input "hm.cwb";
> print;
> help logic;
> checkprop(S, <a>(<b>T & <c>T));
true
> checkprop(T, <a>(<b>T & <c>T));
false
> help dfstrong;
> dfstrong(S, T);
[a]<b>T
> exit;

```