

Documentation of Software

- Types of documentation
- The problems related to documentation
- Purpose JavaDoc
 - Limitation
- Guidelines for JavaDoc from SunSoft
- Summary

Types of Documentation

- Analysis and design (high-level and low-level) documentation
 - What you are doing in object-oriented analysis and design document
 - Used to provide an overview of the system
- System documentation
 - Provides all the details
 - Reference manual type of documentation
 - This is what we emphasise in today's lecture
- Test documentation
 - High-level descriptions of the approach
 - Low-level documentation JavaDoc-like

Problems Related to Documentation

- Documentation is competing hard with test to be the part most often missing from a software project.
 - „Use the source, Luke!“ [The motion picture StarWars]
- Programmers are often reluctant to write documentation.
 - The job of the most recently hired programmer
- Documentation is often the last thing done in a project
 - if it is done at all, it takes too long to build it
- Documentation is outdated
 - Documentation is for version 1.0 of the system and the program is currently in version 5.2
 - Source code in one file, documentation is another file
- Documentation is incomplete
 - Not all parts of the program are documented

Problems Related to Documentation, cont.

- Documentation is incorrect
- It looks ugly
 - Text file
 - Multiple different Word or HTML templates
- The documentation is not uniform
 - Where should I start to look for information?
 - Some document method, others also the data, and a final group only constructors. The all forget to document the return value of functions.
- Does not provide an overview
 - Find documentation for that single method your are currently having problems understanding

JavaDoc Purposes

- Make the documentation look nice
 - Use HTML
- Make the documentation look uniform across all programs
 - If you know the structure of the documentation for one program, you know it for all!
- Make the documentation fast to write
 - Autogenerated from source files
- Make it easy to browse the documentation
 - Extract overview and use HTML, e.g., hyperlinks to different parts
- Solve the problem that documentation is written last
 - Written concurrently with the program
- Solve the problem that documentation gets outdated
 - Documentation is embedded into the source code

JavaDoc Purposes, cont.

- Solve documentation not complete
 - can check e.g., all method documented
- Solve (partly) documentation is incorrect

Limitations of JavaDoc

- Only system documentation, i.e., reference manual type
- No-magic, the programmer still has to write the documentation strings extracted via the tool
 - Development environments will help you provides JavaDoc skeleton
- Only partly check of consistency between source and documentation
 - e.g., check documentation string for all parameters and return value
 - e.g., check all exception documented

Javadoc, Example

```
import com.mycompany.misc.*;
/** Implements a garage consisting of cars and trucks */
public class Garage {
    /** Comment on instance variable */
    Car car1;
    Truck truck1;

    /** Default constructor, create a car and a truck */
    public Garage(){
        /** Comment on method internals */
        car1 = new Car();
        truck1 = new Truck();
    }

    /** Prints the vehicles made in the constructor
     * @see Garage#Garage()
     */
    public void toPrint(){
        System.out.println ("A garage: " + car1 + truck1);
    }
}
```


JavaDoc Tags

- A tag is a special keyword within a comment that JavaDoc can process
- Types
 - Block tags, must appear at beginning of line, e.g., `@author`
 - Inline tags, anywhere must be within curly bracket, e.g., `{@link}`

Standard Tags

- `@author` *text*
- `@deprecated` *text*
- `@exception` *class-name description*
- `@param` *parameter-name description*
- `@return` *description*
- `@see` *reference*
- `@serial` *description* | include | exclude
- `@serialData` *description*
- `@serialField` *field-name field-type*
- `@since` *text*
- `@throws` (same as `@exception`)
- `@version` *text*

Standard Tags, cont

- **{@docRoot}**
 - See the `Copyright`.
- **{@inheritDoc}**
 - Copies documentation from the "nearest" inheritable class
- **{@link}** *package-name.class#member label*
- **{@linkplain}** *package-name.class#member label*
 - Same as **{@link}** but plain text
- **{@value}**
 - Show the value of a constant

Class Documentation Example

```
/**
 * The SQL keywords. This are defined here to avoid having literals
 * spread all over the code.
 * The ant logo.
 * <center>
 * 
 * </center>
 *
 * @author Kristian Torp, torp (at) cs (dot) auc (dot) dk
 * @author Viggo Pedersen vig (at) cs (dot) auc (dot) dk
 * @version 1.00
 * @since 1.20
 * <p/>
 * History
 * <pre>
 * Version          How          What changed
 * -----
 * 1.0              kt           Made first running version
 * 1.1              vig         Made to inherit from DatabaseObject
 * 1.2              kt           Implemented Comparable interface
 * </pre>
 */
```

The Output

The @see Tag

- Current Class
 - @see #field
 - @see #method(Type, Type,...)
 - @see #method(Type argname, Type argname,...)
 - @see #constructor(Type, Type,...)
 - @see #constructor(Type argname, Type argname,...)
- Referencing an element in another package (fully qualified)
 - @see package.Class#field
 - @see package.Class#method(Type, Type,...)
 - @see package.Class#method(Type argname, Type argname,...)
 - @see package.Class#constructor(Type, Type,...)
 - @see package.Class#constructor(Type argname, Type argname,...)
 - @see package.Class.NestedClass
 - @see package.Class
 - @see package

@see, Example

```
/**
 * Checks if two NumberColumns are equal.
 * @param o Object
 * @see java.lang.Object#equals(java.lang.Object)
 */
public boolean equals(Object o) { // snip }

/**
 * The visitor method.
 * @param v the visitor
 * @link dk.auc.cs.sql.visitor
 */
public void accept(Visitor v) {
    v.visitNumberColumn(this);
}

/**
 * Gets the default value for the column.
 * @return integer
 * @linkplain Column
 */
public double getDefaultValue() {
    return defaultValue;
}
```

The Output

Running the JavaDoc Tool

- **javadoc**
 - The Java documentation generator
 - **javadoc [options] <filename.class> | <package>**
- Examples
 - javadoc dk.auc.sql.ast
 - ◆ Cannot handel assert keyword private not covered
 - ◆ Must be at right location
 - javadoc -private -source 1.4 dk.auc.cs.sql.ast
 - ◆ Outputs in same directory as souce files
 - javadoc -private -source 1.4 -d c:\temp dk.auc.cs.sql.ast
 - ◆ specify the output dir with -d
 - javadoc -private -source 1.4 -d c:\temp -windowtitle "Hello JavaDoc" dk.auc.cs.sql.ast
 - ◆ Make a nice title on main window

Non-JavaDoc Comments

- JavaDoc is for the client programmers and partly for class developers.
- Good implementation comments are still needed for class maintainers
 - For internal use in a company
 - For open source, for any one else to be able to understand the code

Rules-of-Thumb

- Saying variable and method names are the best comments
 - Make comment where there are surprises
 - Make comment where you cannot remember what your own code does
 - Make comments clear and correct
 - Make comments that focus on *why* rather than *how*!
 - Make comments to prepare reader for the code to follow
 - Make comments that summarizes what the code does
-
- Do not comment the obvious

Summary

- Documentation is the piece of information most likely to be missing for a complete software program.
- JavaDoc has set new standards for system documentation
 - Code and documentation stored in the same file
 - Many similar products to other languages
- For the MIP exam you must provide JavaDoc system documentation.

Not documenting your software
is unprofessional!