

Software Engineering Techniques

- Low level design issues for *programming-in-the-large*.
- Software Quality
- Design by contract
 - Pre- and post conditions
 - Class invariants
- Ten do
- Ten do nots
- Another type of summary

Software Quality

- *Correctness*: Is the ability of software to exactly perform their tasks, as defined by the requirements and specifications.
- *Robustness*: Is the ability of software to function even in abnormal conditions.
- *Extendibility*: Is the ease with which software may be adapted to changes of specifications.
- *Reusability*: Is the ability of software to be reused, in whole or in part for new applications.
- *Compatible*: Is the ease with which software may be combined with others software.

Other Software Quality

- *Efficiency*: Is the good use of hardware resources.
- *Portability*: Is the ease with which software may be transferred to various hardware and software environments.
- *Verifiability*: Is the ease of preparing acceptance procedures, e.g., test data and methods for finding bugs and tracing the bugs.
- *Integrity*: Is the ability of software to protect its components against unauthorized access and modification.
- *Ease of use*: Is the ease of learning how to use the software, operating it, preparing input data, interpreting results and recovering from errors.

Design By Contract

- Purpose: To increase software quality by giving each part of a software product certain obligations and benefits.
- Without contract
 - All parts of a program take a huge responsibility
 - All parts of a program check for all possible error possibilities (called *defensive programming*).
 - This makes a large program larger and more complicated
- With contracts
 - Methods can make assumptions
 - Fewer checks for errors possibilities
 - This makes a large program simpler.

Design By Contract, Example

- A stack example the *push* method.
- Client programmer
 - Obligation: Only call *push(x)* on a non-full stack
 - Benefit: Gets *x* added on top of stack.
- Class programmer
 - Obligation: Make sure that *x* is pushed on the stack.
 - Benefit: No need to check for the case that the stack is already full
- Think Win-Win!

Pre and Postconditions

- A *precondition* expresses the constraints under which a method will function properly.
 - The responsibility of the caller to fulfill the precondition.
- A *postcondition* expresses properties of the state resulting from a method's execution.
 - The responsibility of the method to fulfill the postcondition
- Both preconditions and postconditions are expressed using *logical expressions* also called *assertions*.
- Other issues
 - Class invariants
 - Loop invariants

Java 1.4's **assert** Keyword

- An *assertion* is a boolean expression that a developer specifically proclaims to be true during program runtime execution [Source: java.sun.com].
- New to Java 1.4.
- Used for expressing both pre- and postconditions.
- Syntax:
 - `assert expression1;`
 - `assert expression1 : expression2;`

Java 1.4's **assert** Keyword, cont.

- Evaluation of an **assert** statement.

Evaluate *expression1*

if true

no further action

else

if *expression2* exists

Evaluate *expression2* and use the result in a single-parameter form of the **AssertionError** constructor

else

Use the default **AssertionError** constructor

assert, Examples

```
assert 0 <= value;
```

```
assert 0 <= value : "Value must be positive " + value;
```

```
assert ref != null;
```

```
assert ref != null : "Ref is null in myFunc";
```

```
assert newCount == (oldCount + 1);
```

```
assert myObject.myFunc(myParam1, myParam2);
```

Pre- and Postcondition, Example

```
import java.util.*;
public class AStack{
    private LinkedList stck = new LinkedList();
    private final int no = 42;

    public boolean full() {
        if (stck.size() >= no) return true;
        else return false;
    }
    public boolean empty() {
        return stck.size() == 0;
    }

    public void push(Object v) {
        // precondition
        assert !full(): "Stack is full";
        stck.addFirst(v);
        // postconditions
        assert !empty();
        assert top().equals(v);
        // check no of elements increase by one
    }
}
```

Pre- and Postcondition, Example

```
public Object top() {
    // precondition
    assert !empty();
    return stck.getFirst();
    // no post conditions
}
public Object pop() {
    // precondition
    assert !empty();
    return stck.removeFirst();
    // postcondition placed in the wrong place
    assert !full();
    // additional check no of elements decrease by one
}
}
```

assert and Inheritance

```
class Base {  
    public void myMethod (boolean val){  
        assert val : "Assertion failed: val is " + val;  
        System.out.println ("OK");  
    }  
}
```

```
public class Derived extends Base {  
    public void myMethod (boolean val){  
        assert val : "Assertion failed: val is " + val;  
        System.out.println ("OK");  
    }  
}
```

```
public static void main (String[] args){  
    try {  
        Derived derived = new Derived();  
        //...  
    }  
}
```

assert and Inheritance, cont

- Preconditions cannot be strengthened in subclasses.
- Postconditions cannot be weakened in subclasses.

- Any good reasons for these requirements?

Class Invariants

- A *class invariant* is an expression that must be fulfilled by all objects of the class at all stable times in the lifespan of an object
 - After object creation
 - Before execution a public method
 - After execution of a public method
- A class invariant is extra requirement on the pre and postconditions of methods.
- Class invariants can be used to express consistency checks between the data representation and the method of a class, e.g., after if a stack is empty then size of the linked list is zero.
- Class invariants cannot be weakened in subclasses.
- Supported in Eiffel, not supported in Java.

Class Invariants, Example

```
public class Person{
    /** @invariant age >= 0 */
    protected int age;

    /**
     * Constructor for objects of class Person
     * @post age = 0
     */
    public Person(){ age = 0; }

    /**
     * Constructor for objects of class Person
     * @pre age >= 0
     * @post age = the age provided
     */
    public Person(int age){
        assert age >= 0: "Age must be positive it is " + age;
        this.age = age;
        assert this.age == age;
    }
    //snip
}
```

Class Invariants, Example, cont.

```
public class Person{ // snip
    /**
     * Gets the age of a person
     * @return age of person
     * @post return value >= 0
     */
    public int getAge(){
        assert age >= 0;
        return age;
    }
    /**
     * Sets the age of a person
     * @param newAge the new age of the person
     * @pre newAge >= 0
     * @post age = newAge
     */
    public void setAge(int newAge){
        assert newAge >= 0: "Age must be positive it is " + age;
        age = newAge;
        assert age == newAge;
    }
}}
```

Ten Dos

- Logical naming
 - Class name **p3452** vs. class name **Vehicle**.
 - The foundation for reuse!
- Symmetry
 - If a **get()** method then also a **set()** method.
 - If an **insert()** method then also a **delete()** method.
 - If **id2number()** method then also **number2id()** method
 - Makes testing easier.
 - To avoid “surprises” for the clients.
- Add extra parameters to increase flexibility
 - **split(string str)** vs.
split(string str, char ch default ' ')
 - To anticipate “small” changes.

Ten Dos, cont.

- Set a maximum line size (80-100 characters)
 - To avoid more the one thing being done in the same line of code
 - To be able to print the code with out wrapping. For code reviews
- Set the maximum of lines for a method
 - What can be shown on a screen (30-60 lines)
 - To increase readability
 - To increase modularity
- Indent your code
 - Increases readability, (CTRL-SHIFT-F in Eclipse)
- Avoid side-effects
 - If a method refers to an object in a database and the object does not exist then raise an error do not create the object.
 - Make program logic impossible to understand

Ten Dos, cont.

- Add comments in methods
 - Comment where you are puzzled yourself or is puzzled the day after you wrote the code
 - Do not comment the obvious!
- Look at (and comment on) other peoples code
 - Code reviews are a good investment
 - Increases readability of code
 - A good way to learn from each other
- Be consistent
 - Can automate global changes with scripts

Ten Do Nots

- Make a method do more than one thing
 - `split_and_store(string str, char ch)` vs. `split(string str, char ch)` and `store(string_array)`
 - Makes the method more complicated
 - Decreases reuse
- Make a method take more than 7 ± 2 parameters
 - Can parameters be clustered in objects?
- Make more than 4 level of nesting in a method
 - `if {if{if{if{if }}}}}`
 - Decreases readability
- Make use of “magic” numbers
 - `if (employee.status == '1') {}` vs `if (employee.status == global.open) {}`

Ten Do Nots

- Make use of Copy-and-Paste facilities
 - Redundant code
 - Make a new method or use inheritance
- Become mad and aggressive if some one suggest changes to *your* code.
- Have more than one return statement in a method
 - May be needed in highly optimized code
- Skip exception handling
- Skip testing
- Assume the requirement specification is stable

Bad Object-Oriented Programs

- Not following the coding conventions
- Not use javadoc for documenting the code
- Constructors
 - No default constructor
 - Only default constructors
- Too many static methods
- Too many static variables
- Does not remember to close connections that have been opened (database connection, network connection and files).
- Not using the exception handling mechanism
- Not using composition (possible also inheritance)
- Not using standard class libraries, e.g., Java's huge library
- Not using **toString()**, **equals()**, etc from **Object**

Summary

- Any fool can write code that a computer can understand. Good programmers write code that humans can understand. (Fowler)
- Debug only code - comments can lie.
- If you have too many special cases, you are doing it wrong.
- Get your data structures correct first, and the rest of the program will write itself.
- Testing can show the presence of bugs, but not their absence.
- The first step in fixing a broken program is getting it to fail repeatedly.
- The fastest algorithm can frequently be replaced by one that is almost as fast and much easier to understand.

Summary, cont.

- The cheapest, fastest, and most reliable components of a computer system are those that are not there.
- Good judgment comes from experience, and experience comes from bad judgment
- Do not use the computer to do things that can be done efficiently by hand.
- It is faster to make a four-inch mirror than a six-inch mirror than to make a six-inch mirror.
[Thompson's Rule for first-time telescope makers]
- If you lie to the computer, it will get you.
- Inside of every large program is a small program struggling to get out.